



Amtico Signature Abstract Collection

Mannington
COMMERCIAL



Cover: Abstract - Diffusion Malt AROADF44 in Pleat Laying Pattern, Diffusion Cashew AROADF41, Diffusion Chambray AROADF39, Stucco Nutmeg AROAUC89, Stucco Pebble AROAUC38 (18" x 18")
Above: Abstract - Etch Sienna AROAET13 (18" x 18"), Rotterdam Oak AROW8440 (7.25" x 48")





Abstract - Diffusion Eve AR0ADF54, Stucco Haze AR0AUC40, Stitch Wedgewood AR0AST52 Polished Gold Stripping AR0APL78 in Frame Laying Pattern, Stitch Wedgewood AR0AST52 (6" x 36")



Abstract - Diffusion Eve AR0ADF54, Stucco Haze AR0AUC40, Stitch Wedgewood AR0AST52 Polished Gold Stripping AR0APL78 in Frame Laying Pattern, Stitch Wedgewood AR0AST52 (6" x 36")



Abstract - Diffusion Cashew AR0ADF41, Mosaic Ambered AROAMO23 in Lune Large Laying Pattern, Mosaic Ambered AROAMO23 (18"X18")



Abstract - Diffusion Cashew AR0ADF41, Mosaic Ambered AROAMO23 in Lune Large Laying Pattern, Mosaic Ambered AROAMO23 (18"X18")



Abstract - Gilded Alabaster AROAGD41 (12" x 24"), **Insight** - (Modular), Moonlit 35356



Abstract - Gilded Alabaster AROAGD41 (12" x 24")



Abstract - Diffusion Malt AR0ADF44 in Pleat Laying Pattern, Diffusion Cashew AR0ADF41, Diffusion Chambray AR0ADF39, Stucco Nutmeg AR0AUC89, Stucco Pebble AR0AUC38 (18" x 18")



Abstract - Black Burnished Metal AROARH29, Russet Burnished Metal, AROARH44 (18" x18")



Abstract - Diffusion Eve AROADF54, Stucco Putty AROAUC30, Stucco Quartz AROAUC15 in Aspekt Laying Pattern, Stucco Putty AROAUC30





Abstract - Etch Sienna AROAET13 (18" x 18"), Rotterdam Oak AROW8440 (7.25" x 48")



Abstract – Grey Burnished Metal AR0ARH13, Polished Copper AR0APL45
in Large Parquet Laying Pattern

Feature Stripping

Add contrast, create a grout effect or define tile and plank shapes with Amtico feature stripping. Available in a choice of five sizes.

Feature stripping is available in 2mm or 2.5mm. For stripping being used in beveled edge installations, 2.0mm stripping is recommended and for unbeveled edge installations, 2.5mm stripping is recommended.

All Amtico Signature colors are available in stripping and can be used with any 2.5mm LVT.

Size Options:



1/8" x 36" (3.2 mm x 914.4 mm)



1/4" x 36" (6.4 mm x 914.4 mm)



3/8" x 36" (9.5 mm x 914.4 mm)



1/2" x 36" (12.7 mm x 914.4 mm)



3/4" x 36" (19.1 mm x 914.4 mm)

Specialty stripping colors:



Pure Plain Black

AROAPN22



Pure Plain White

AROAPN11



Polished Copper

AROAPL45



Polished Gold

AROAPL78



Polished Silver

AROAPL32

* Sizes shown are not actual size



Abstract - Stucco Quartz AROAUC15, Stucco Indigo AROAUC91,
Stone - Tempus Pause AROSTE37 in Passo Laying Pattern

Signature Laying Patterns

Explore our extended range of exclusive laying patterns, crafted to reflect the refined beauty of our Amtico Signature products. With more than 25 Signature Layouts to choose from, you can personalize them with your own choice of colors. You can also use our Visualizer Tool to easily craft your own designs.




Edge Signature Layout

A bold, highly usable pattern which has been cleverly designed to be laid in simple 9" x 9" modules, positioning colors together to create extended angular shapes.



This is just one example; scan to discover more.



Pattern Code: AR0D9100.4

Size: 9" x 9" module

Created with:

Stucco Nutmeg

Stucco Indigo

Stucco Quartz

Diffusion Storm



QUANTUM GUARD®
elite

Success Is in Our Science



Quantum Guard Elite is a proven, patented technology that provides the ultimate solution for all aspects of LVT performance.

- Highest scratch resistance in the industry
- Engineered for best-in-class dimensional stability
- Superior impact resistance
- Cuts cleanly for highest quality installation
- Easy no-polish maintenance significantly reduces overall life cycle cost and total cost of ownership
- Advanced stain resistance

Outperforms in Scratch Resistance

Quantum Guard Elite


Leading Competitor



With a patented two-part wear layer and aluminum oxide infused top coat, Quantum Guard Elite offers superior scratch resistance vs. the leading competitor.

Complete Multi-Layered Protection



Quantum Guard Elite combines a hard wear layer and a flexible wear layer for superior durability with the added protection of our proprietary aluminum oxide technology.



Best-in-Class Dimensional Stability

Quantum Guard Elite

Leading Competitor



LVT with Quantum Guard Elite is fully engineered to offer the perfect balance of hardness and flexibility, which helps prevent product failures in commercial environments. *(Products exposed to 80 °C for six hours.)*

Warranted to Work

Products with Quantum Guard Elite feature our Limited Quantum Guard Elite Wear Warranty and Limited Commercial Warranty.

Specify Amtico Signature - Achieve Original

Classic or contemporary. Bold or understated. Traditional or daring.

Ever beautiful, the Amtico Signature Collection offers easy to specify options for creating memorable flooring and lasting performance.

Specify Performance

A. Quantum Guard Elite®

Amtico's urethane with aluminum oxide formula provides superior durability and resistance against scratching, abrasions and stains.

B. Superior 40 mil Wear Layer

Toughened upper layers provide industry leading performance and high clarity, allowing the product designs to shine through.

C. Design Layers

Carefully crafted print layers create the richly detailed designs unique to the Amtico Signature Collection.

D. Backing Layers


The foundation of the product which provides long-lasting stability.

E. Warranty

Limited 25-Year Product & Wear Warranty



- A. _____
- B. _____
- C. _____
- D. _____



1. Choose Your Product

- More than 150 running line visuals to choose from as well as digital custom options available.

2. Choose Your Size

- Select from our unmatched offering of running line sizes available without a minimum. Utilize the product availability chart for easy selection.

3. Choose Your Edge

- All patterns available in beveled or unbeveled options without a minimum.

4. Choose Your Emboss

- For a small minimum, alternate emboss options are available for all our Amtico Signature styles.

5. Made in the USA

- All Amtico Signature products are produced from raw material to finished product in Madison, GA.

6. Choose Your Pattern

- Set your project apart. Choose from our Signature Laying Patterns to create personalized spaces with easy to select patterns and colors with no minimum.
- Custom designs are also available.

7. Choose the Right Solution

- Transitioning your Amtico Signature floor to carpet? Use Fusion Rubber Transition Strips. Quick to install, Fusion Strips create a subtle transition with minimal visual interruption.
- Moisture challenges? Choose from a complete offering of adhesive solutions crafted for high-moisture conditions.
- Available with QuickStix® pre-applied adhesive, reducing time and labor required to install the flooring. QuickStix® floors can be used immediately after installation, even in extreme moisture areas.

Amtico Signature Collection | Abstract Product Availability


Product Name	Product Code	Quantum Guard Elite®	Surface Finish - Tick	Surface Finish - Ceramic	Surface Finish - Plaster	Standard in Cross Grain Visuals	Variability
Back to Black Envy	AROABB28	•	•				low
Back to Black Vamp	AROABB22	•	•				low
Bangkok	AROACF59	•		•			low
+ Black Burnished Metal	AROARH29	•		•			med
+ Diffusion Cashew	AROADF41	•			•		low
Diffusion Chambray	AROADF39	•			•		low
Diffusion Charcoal	AROADF13	•			•		low
+ Diffusion Eve	AROADF54	•			•		low
+ Diffusion Husk	AROADF27	•			•		low
+ Diffusion Malt	AROADF44	•			•		low
+ Diffusion Storm	AROADF98	•			•		low
Dublin	AROACF83	•		•			low
Equator Flow	AROAEG13	•		•		•	high
Equator Tide	AROAEG40	•		•		•	high
Equator Wave	AROAEG39	•		•		•	high
+ Etch Canopy	AROAE14	•	•			•	low
+ Etch Ephemeral	AROAE11	•	•			•	low
+ Etch Gazette	AROAE15	•	•			•	low
+ Etch Sienna	AROAE13	•	•			•	low
+ Etch Watercolor	AROAE12	•	•			•	low
+ Gilded Alabaster	AROAGD41	•		•		•	low
+ Gilded Gramercy	AROAGD45	•		•		•	low
+ Gilded Platinum	AROAGD43	•		•		•	low
+ Gilded Plume	AROAGD46	•		•		•	low
+ Gilded Quill	AROAGD44	•		•		•	low
+ Gilded Seaglaze	AROAGD42	•		•		•	low
Glint Orb	AROAGG11	•		•			low
Glint Void	AROAGG22	•		•			low
+ Grey Burnished Metal	AROARH13	•		•			med
Helsinki	AROACF90	•		•			low
Linear Graphite	AROALA33	•		•			low
Linear Metallic Steel	AROALA21	•		•			low
Linear Mocha	AROALA42	•		•			low
Linear Shale	AROALA31	•		•			low
Marrakech	AROACF51	•		•			low
+ Mosaic Ambered	AROAMO23	•		•		•	low
+ Mosaic Charm	AROAMO20	•		•		•	low
+ Mosaic Glazed	AROAMO21	•		•		•	low
+ Mosaic Sumira	AROAMO22	•		•		•	low
Mumbai	AROACF98	•		•			low
Napoli	AROACF75	•		•			low
Paris	AROACF92	•		•			low
Patina Atom	AROAPT33	•		•			med
Patina Vapour	AROAPT31	•		•			med
Rio	AROACF56	•		•			low
+ Russet Burnished Metal	AROARH44	•		•			med
Seoul	AROACF84	•		•			low
Sevilla	AROACF64	•		•			low
+ Stitch Cocoon	AROAST50	•		•			med
+ Stitch Husk	AROAST53	•		•			med
+ Stitch Stoneware	AROAST51	•		•			med
+ Stitch Wedgewood	AROAST52	•		•			med
+ Stucco Elk	AROUC32	•			•		low
Stucco Flax	AROUC39	•			•		low
Stucco Frame	AROUC31	•			•		low
+ Stucco Haze	AROUC40	•			•		low
Stucco Indigo	AROUC91	•			•		low
+ Stucco Nutmeg	AROUC89	•			•		low
Stucco Pebble	AROUC38	•			•		low
Stucco Putty	AROUC30	•			•		low
Stucco Quartz	AROUC15	•			•		low
Umbra Dusk	AROUA24	•		•		•	high
Umbra Veil	AROUA13	•		•		•	high
+ Verdigris Burnished Metal	AROARH33	•		•			med

+ Indicates new product **All Amtico Signature Abstract styles are available to use as stripping, custom designs, Amtico Signature Laying Patterns, motifs and borders.**

Amtico Signature Abstract Tile & Plank Sizes

Choose any of our Amtico Signature Abstract tiles or planks in a single color and size to create a floor with simple elegance. Or design your own combinations of colors and sizes to make something that will deliver real impact.

All Amtico Abstract products are offered in the running line sizes below.



18" x 36"



18" x 48" - XTRA



4" x 36"



9" x 36" - XTRA




6" x 36"




9" x 48" - XTRA

Color/Pattern Variability

Color and visual variation are inherent in all resilient products. Variability can fluctuate from slight or significant, and from tile to tile. Our pattern variability ratings range from low (little variation) to high (significant variation).



Low
Slight variation



Medium
Moderate variation



High
Substantial variation

Defeat Damp Spaces

Your job just got easier. With our comprehensive moisture solutions for LVT, you can defeat the most extreme high moisture conditions.

Best Solutions for:

Any Slab Condition

NO Moisture Testing Required – NO RH limit, NO Testing*

Adhesive

MoistureLoc

*** Conditions**

No hydrostatic pressure | No standing water or visible water stains | Slab is at least 45 days old

Best Solutions for:

Slabs with Intact Vapor Barrier (Class B or better)

Quick pH Testing Required**

Adhesive

	pH
V-88	12
MoistureLoc	None
QuickStix® with Moisture Resistant Primer**	12

**** Conditions**

Intact Class B or better vapor barrier | No hydrostatic pressure | No standing water or visible water stains | Slab is at least 45 days old

Best Solutions for:

Unknown Slab Conditions

Moisture Testing Required

Adhesive	RH%	MVER	pH
V-88	95	10	12
MoistureLoc	None	None	None
XpressStep LVT	98	10	12
QuickStix® with Premium Universal Primer (with IVB)	99	18	12
QuickStix® with Premium Universal Primer (No IVB)	95	10	12
V-95	85	5	9

Style	Abstract												
Construction	Luxury Vinyl Tile Non-ortho Phthalate												
Classification	ASTM F1700 Class III, Type B												
Overall Thickness	0.098" (2.5 mm)												
Wear Layer Thickness	40 mil (1 mm)												
Wear Layer	Quantum Guard Elite®												
Edge Treatment	Micro-beveled or Unbeveled												
Sizes	<table border="0"> <tr> <td>12" x 12" (305 x 305 mm)</td> <td>4" x 36" (102 x 915 mm)</td> </tr> <tr> <td>12" x 18" (305 x 457 mm)</td> <td>6" x 36" (152 x 915 mm)</td> </tr> <tr> <td>12" x 24" (305 x 610 mm)</td> <td>6" x 48" (152 x 1219 mm)</td> </tr> <tr> <td>18" x 18" (457 x 457 mm)</td> <td>9" x 36" (229 x 915 mm)</td> </tr> <tr> <td>18" x 36" (457 x 915 mm)</td> <td>9" x 48" (229 x 1219 mm)</td> </tr> <tr> <td>18" x 48" (457 x 1219 mm)</td> <td></td> </tr> </table>	12" x 12" (305 x 305 mm)	4" x 36" (102 x 915 mm)	12" x 18" (305 x 457 mm)	6" x 36" (152 x 915 mm)	12" x 24" (305 x 610 mm)	6" x 48" (152 x 1219 mm)	18" x 18" (457 x 457 mm)	9" x 36" (229 x 915 mm)	18" x 36" (457 x 915 mm)	9" x 48" (229 x 1219 mm)	18" x 48" (457 x 1219 mm)	
12" x 12" (305 x 305 mm)	4" x 36" (102 x 915 mm)												
12" x 18" (305 x 457 mm)	6" x 36" (152 x 915 mm)												
12" x 24" (305 x 610 mm)	6" x 48" (152 x 1219 mm)												
18" x 18" (457 x 457 mm)	9" x 36" (229 x 915 mm)												
18" x 36" (457 x 915 mm)	9" x 48" (229 x 1219 mm)												
18" x 48" (457 x 1219 mm)													
Colors	64												
Environmental Data													
Indoor Air Quality	FloorScore Certified; CDPH v1.2-2017												
Product Declarations	Third party verified EPD, HPD												
Carbon Offset	105% Cradle to Gate (A1-A3), see website for additional information												
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials Building Product Disclosure & Optimization - Material Ingredients; IEQc2 - Low Emitting Materials												
mindful MATERIALS	Visit mindfulmaterials.com for current transparency information												
Manufacturing	Madison, GA (USA) - ISO 14001 EMS & ISO 9001 QMS Registered, +Vantage Vinyl Verified Silver												
Warranty													
	Limited 25-Year Commercial Warranty Limited 25-Year Quantum Guard Elite® Wear Warranty												



Scan to view full collection specs.