

The Hocus Collection

Mannington
COMMERCIAL



Cover: Observer (18" x 36" Modular) - Pacific Blue 33463

Installation - Vertical Ashlar

Above: Observer (24" x 24" Modular) - Viridescent 42467, **Maquette** (24" x 24" Modular) - Viridescent 42467

Installation - Horizontal Brick Ashlar




Transference (18" x 36" Modular) - June Fog 11461, **Observer** (18" x 36" Modular) - June Fog 11461
Installation - Vertical Ashlar




Maquette (24" x 24" Modular) - Saturn Milk 81465
Installation - Horizontal Brick Ashlar

Crafted to Coordinate



1. Spacia Wood, Drift Pine
2. The Hocus, Transference, June Fog
3. Mannington Assurance III, Ice Cap

4. The Portland Project LVT, Burnside, Twinflower
5. The Hocus, Observer, Pacific Blue
6. Moiré, Visible Light, Lumens




- 1. Spacia Abstract, Bronze
- 2. The Hocus, Maquette, Saturn Milk
- 3. Spacia Wood, Smoked Timber
- 4. Color Anchor Rubber, ColorSpec, Block Island
- 5. City Hub, Textile, Hemp
- 6. The Hocus, Observer, Mink Mesa

The Hocus Collection



Maquette

June Fog 11461




Maquette

Improbable Gray 13462



Maquette

Saturn Milk 81465




Maquette

Griffin's Cat 82466




Maquette

Pacific Blue 33463



Maquette

Sounterloo 14464



Maquette

Viridescent 42467



Maquette


Mink Mesa 84468

The Hocus Collection



Observer

June Fog 11461




Observer

Improbable Gray 13462




Observer

Saturn Milk 81465



Observer

Griffin's Cat 82466



Observer

Pacific Blue 33463



Observer

Sounterloo 14464



Observer

Viridescent 42467



Observer

Mink Mesa 84468

The Hocus Collection



Transference

June Fog 11461



Transference

Improbable Gray 13462



Transference

Saturn Milk 81465



Transference

Griffin's Cat 82466



Transference

Pacific Blue 33463



Transference

Sounterloo 14464



Transference

Viridescent 42467



Transference

Mink Mesa 84468

A Study in Light and Reflectivity


Inspired by the Standing Walls, our Design Studio collaborated with Larry Bell to create a modular carpet collection that would speak to his study of light, the nature of surface and its interaction with space. The result is three geometric patterns that use color, line work, shape and texture to produce magical juxtapositions of surface and dimension, clarity and ambiguity.



Carpet Performance

Proven by Third-Party Testing

All of our carpet products are third-party tested and proven to exceed industry standards in appearance retention, texture retention, fire safety factors and static generation, and our modular carpet exceeds industry standards in dimensional stability—so you can be sure that the carpet you specify will perform for years to come.



Easier to Maintain

- ▶ All the carpet fiber we use delivers greater resilience against matting and resists abrasive wear, keeping the carpet looking better.
- ▶ XGUARD® Stain Resistant Technology provides long-term stain resistance for our space dye products.
- ▶ ColorSafe® Bleach Resistant Technology resists color fade-out from bleach spills for our space dye products.
- ▶ Moisture-barrier backings are built to withstand aggressive wet cleanings.

Backing Advantages

- ▶ Infinity® 2 Modular backing provides exceptional performance with a moisture barrier.
- ▶ Infinity® 2 Modular backing offers superior tuft bind and dimensional stability with a limited lifetime warranty.

Sustainable Solutions

- ▶ Supported with EPDs and HPDs.
- ▶ Infinity® 2 Modular backing is CRI Green Label Plus Certified and NSF/ANSI 140 Gold Certified.
- ▶ Infinity® 2 Modular backing contains recycled content.

TARR

- ▶ The Hocus Collection carpet was specifically designed with a 3.5 TARR rating for use in severe environments with rigorous foot traffic situations such as public areas, lobbies and dining facilities as well as transportation service areas such as airports. The TARR on our carpets is tested and verified by an independent lab.

Crafted with Purpose.

The Hocus Collection

Style	Marquette (Modular)	Observer (Modular)	Transference (Modular)
Construction	Patterned Loop	Tip-Sheared Patterned Loop	Patterned Loop
Face Fiber	Type 6,6 Nylon	Type 6,6 Nylon	Type 6,6 Nylon
Dye Method	Solution / Yarn	Solution / Yarn	Solution / Yarn
Gauge	5/64 (50.39 per 10 cm)	5/64 (50.39 per 10 cm)	5/64 (50.39 per 10 cm)
Stitches Per Inch	10.33 (40.67 per 10 cm)	10.5 (41.34 per 10 cm)	11 (43.31 per 10 cm)
Density	8,042 (298.82 kg/m ³)	7,434 (276.23 kg/m ³)	7,485 (278.13 kg/m ³)
Pile Thickness	0.094" (2.39 mm)	0.092" (2.34 mm)	0.101" (2.57 mm)
Weight	21 oz/yd ² (712 g/m ²)	19 oz/yd ² (644 g/m ²)	21 oz/yd ² (712 g/m ²)
Backing Type	Infinity [®] 2 Modular	Infinity [®] 2 Modular	Infinity [®] 2 Modular
Size	18" x 36" (45.72 x 91.44 cm) 24" x 24" (60.96 x 60.96 cm)	18" x 36" (45.72 x 91.44 cm) 24" x 24" (60.96 x 60.96 cm)	18" x 36" (45.72 x 91.44 cm) 24" x 24" (60.96 x 60.96 cm)
Colors	8	8	8
Packaging	18" x 36" - 8 yd ² / 16 Tiles 24" x 24" - 8 yd ² / 18 Tiles	18" x 36" - 8 yd ² / 16 Tiles 24" x 24" - 8 yd ² / 18 Tiles	18" x 36" - 8 yd ² / 16 Tiles 24" x 24" - 8 yd ² / 18 Tiles
Adhesive	Infinity 2 Adhesive	Infinity 2 Adhesive	Infinity 2 Adhesive
Installation Method	Horizontal Brick Ashlar, Monolithic, Vertical Ashlar	Horizontal Brick Ashlar, Monolithic, Vertical Ashlar	Horizontal Brick Ashlar, Monolithic, Vertical Ashlar

Testing

Dimensional Stability (Aachen Test)	Passes	Passes	Passes
Electrostatic Propensity (AATCC 134)	Less than 3.0 kV	Less than 3.0 kV	Less than 3.0 kV
Flooring Radiant Panel (ASTM E648)	Passes - Class 1 \geq 0.45 watts/cm ²	Passes - Class 1 \geq 0.45 watts/cm ²	Passes - Class 1 \geq 0.45 watts/cm ²
Smoke Density (ASTM E662)	Passes \leq 450	Passes \leq 450	Passes \leq 450
Methenamine Pill Test (ASTM D2859)	Passes	Passes	Passes
Hexapod (ASTM D5252) TARR	4.0 - severe	3.5 - severe	3.5 - severe

Environmental Data

NSF/ANSI 140 Certification	Infinity [®] 2 Modular - Gold
Recycled Content	Contains recycled content
Indoor Air Quality	CRI Green Label Plus Certified
Product Declarations	Third Party Verified EPD, HPD
Carbon Offset	105% Cradle to Gate (A1 - A3), visit website for more information
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs; Building Product Disclosure & Optimization - Sourcing Raw Materials; Building Product Disclosure & Optimization - Material Ingredients; IEQc2 -Low Emitting Materials
mindful MATERIALS	Visit mindfulmaterials.com for current transparency information
Manufacturing	Calhoun, GA (USA) - ISO 14001 Registered

Warranty

Limited Lifetime Wear & Backing Warranty
 Limited 15-Year XGUARD[®] Stain Resistant Warranty
 Limited 15-Year ColorSafe[®] Bleach Resistant Warranty

- Specifications are based on averages from normal manufacturing tolerances. Such variations do not affect product performance.
- Protective chair pads are recommended under office chairs with roller casters to preserve appearance and avoid premature wear.
- As with all quality carpets, slight variation in color may occur from dye lot to dye lot.
- Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide improved product performance.
- This product is intended solely for use as an indoor floor covering and is not recommended or sold for any other purpose.
- The inherent characteristics of geometric linear patterns can result in double-dark or double-light lines at the seam and to some extent pattern run-off or bias. This is not a manufacturing defect, and as such, should be considered when selecting a modular carpet installation method.
- Cut piles, cut and loops and tip-sheared constructions are not recommended for heavy commercial traffic, corridors or through channeled traffic. Please contact your Mannington Commercial representative for information regarding these constructions and your specific end use application.
- Please make your final selection from an actual swatch. To order samples, go to manningtoncommercial.com or call 800.241.2262 ext. 6913.