



Attune Collection

**Mannington**  
COMMERCIAL



**Cover: Attune** - Southern Oak Winchester ATT-5613R

**Above: Attune** - Ironside Oak Muted ATT-5701R, Wellspring Vida ATT-B305



Built on its TRU® Technology, Attune heterogeneous sheet offers unique benefits in ergonomics and acoustics. In healing environments and school settings where both comfort and durability are necessities, Attune delivers multiple advantages.

### **Natural Beauty, Outstanding Performance®**

- > 28 colors available in wood and abstract visuals
- > All patterns and colors cross over to standard 2mm heterogeneous sheet
- > Long-term durability
- > Easy maintenance

### **Acoustic & Ergonomic Benefits**

- > Reduces sound levels in medical or healing environments and high-traffic educational spaces like cafeterias, gymnasiums, and multi-purpose rooms
- > Reduces fatigue from standing and walking, which is ideal for clinical staff or students working in labs
- > Can withstand heavy rolling loads—such as medical equipment, telescoping bleachers, and utility carts—without risk of permanent indentation

### **Install with Idealbase®**

- > Replace traditional flash coving
- > Create a sanitary transition up the wall
- > Provides cost savings and enhanced performance with an aesthetically clean design

### **15-Year Quantum Guard Elite® Wear Warranty**


### **105% Carbon Offset**

- > Recognizing the impact that the built environment can have on Earth's climate and health, Mannington Commercial's improving operations and offsetting cradle to gate embodied carbon by 105% on our domestically manufactured flooring products as part of our commitment to helping customers take positive action through their projects.

## Acoustics

---

Built on Its TRU® Technology, Attune offers multiple acoustic benefits by reducing in-room sound, supporting patients and staff in healing environments and students and educators in schools.



SOUND POWER LEVEL (DBA)

*Floor impact sound testing results, ASTM E3133*

## Healthcare Benefits

- > Easier for patients to fall asleep and stay asleep
- > Helps calm the cardiovascular system
- > Supports healing with a soothing environment
- > Reduces staff stress symptoms and burnout
- > Improves communication among staff

## Education Benefits


- > Reduces noise during group activities
- > Supports communication and supervision of students
- > Creates a more focused, less chaotic atmosphere for transitions between activities

## Ergonomics

---

Attune reduces fatigue through a precise balance of comfort and support. Its impact-absorbing surface cushions steps while providing responsive support to ease joint pain and muscle fatigue.

Beyond its ergonomic and acoustic benefits, its TRU® technology's proprietary fusion-bonding withstands heavy rolling loads. The vulcanized rubber backing resists indentation and fully recovers, unlike foam-backed options that break down over time—ensuring long-term performance in healthcare and educational settings.





**Attune - Southern Oak Antique ATT-5611R**  
*(Attune flooring supports painted applications as shown.)*



## IdealBase®

Infection control and providing a sanitary environment in healthcare settings is crucial. That's why we created IdealBase, a 6.25" wall base that extends onto the floor so it can be welded to the floor covering to create a sanitary transition up the wall. IdealBase replaces traditional flash coving, providing cost savings and enhanced performance, all in an aesthetically clean look that complements your room design.

### Installation

- > When installing Idealbase with Attune additional materials are required. The IdealBase will need to be installed over the vulcanized composition rubber backing (SCU-100), which is sold separately. This backing material raises the IdealBase to meet the 7mm height of Attune, creating a seamless transition from flooring to base.
- > Vulcanized composition rubber backing SCU-100 is sold in 5mm- 4' x 30LF rolls.

### Benefits


- > IdealBase installation eliminates dye-lot concerns on corners and provides simpler, more forgiving and faster installation than traditional flash cove methods
- > Specially engineered for use with homogeneous and heterogeneous sheet (.080"), BioSpec Armor® (.100") and rubber sheet (.118").
- > TP construction
- > Scuff and scratch resistant, will not fade or crack
- > Available in 8' lengths for less vertical seams and 10 colors to coordinate with our most popular resilient flooring products

### Sustainability

- > FloorScore Certified; CDPH v1.1 - 2017
- > mindful MATERIALS
- > HPD



View  
IdealBase  
Online



\*Shown in .080". Also available in .100" and .118"

Proper installation is key to ensuring Attune performs as intended. Details like adhesive choice, seam placement, and sport court line application can impact not only the look of the space but also how well the floor stands up to daily use, rolling equipment, and repeated activity over time.

- > Attune requires a heat weld installation.
- > Mannington Commercial standard adhesives, MR-710 and Rubber Tape, can be used to install Attune.
- > When planning layouts using wood visuals with consistent board widths, allow for extra material due to trimming needs.
- > When transitioning from other flooring types to Attune the Mannington Commercial Equalizer transition is recommended.
- > Attune installs beautifully with Mannington's Ideal base® or top set wall base.

### **For multi-use gym or activity spaces:**

- > Rolls should meet at center court and be painted over for a clean, uniform appearance.
- > Game lines can be painted directly onto Attune; the Mannington Commercial technical team can provide recommendations for trusted third-party vendors.



View Attune Installation  
Guidelines Video

Style	Attune
Construction	Heterogeneous Sheet (Non-ortho phthalate construction)
Classification	ASTM F1303, Type 1, Grade 1, Class B
Overall Thickness	0.275" (7.0 mm)
Wear Layer	Quantum Guard Elite®
Wear Layer Thickness	0.020" (0.51 mm)
Colors	28
Width	5' 10" (1.78 m)
<b>Environmental Data</b>	
Indoor Air Quality	FloorScore Certified; CDPH v1.1-2010
Product Declarations	Third party verified EPD, HPD
Carbon Offset	105% Cradle to Gate (A1-A3), see website for additional information
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials; Building Product Disclosure & Optimization - IEQc2 - Low Emitting Materials
mindful MATERIALS Manufacturing	Visit mindfulmaterials.com for current transparency information Salem, NJ (USA) - ISO 14001 EMS Registered, +Vantage Vinyl Verified Silver
<b>Warranty</b>	
	Limited 15-Year Commercial Warranty Limited 15-Year Quantum Guard Elite® Wear Warranty



View full collection specs.