



Dark Skies Collection

**Mannington**  
COMMERCIAL




**Cover: Coast Modular** - Twilight 35926, **Amtico Collection Abstract** - Linear Graphite AR0ALA33  
**Installation** - Vertical Ashlar  
**Above: Drift Modular** - Clouded 11921  
**Installation** - Vertical Ashlar



Haze Modular - Terrain 83935  
Installation - Vertical Ashtar

# Dark Skies Coordinates

Our flooring integrates seamlessly across product types and collections, so you can build an inspired flooring palette for your spaces without sacrificing form for function. Choose LVT in wood or abstract styles for a cool complement to the organic designs of Dark Skies. Bring in patterns from our other carpet collections to add textural depth and richness.



1. Dark Skies, Coast, Vista
2. The Portland Project LVT, Burnside, Twinflower
3. Heirloom, Memento, Passage
4. Equinox, Light Grid, Celestial

5. Amtico, Abstract, Chroma Blue
6. Raffia, Oyster
7. Amtico, Abstract, Umbra Veil
8. Dark Skies, Drift, Dusk



1.	2.	3.
		4.
5.		6.
7.		8.

1. Equinox, Light Grid, Twilight
2. Dark Skies, Haze, Ravine
3. Heirloom, Souvenir, Bohemia
4. Dark Skies, Drift, Dusk
5. Spacia, Wood, Dry Cedar

6. Mannington Select, Wood, Mountain Pine, Weathered Gray
7. Raffia, Yarrow
8. Design Local, Nashville, Ballard

## A Mysterious Natural World

The Dark Skies Collection was created from a visit to the Headlands International Dark Sky Park, a wilderness where natural darkness is protected from light pollution. The goal was to see stars, but storms produced an inky blackness at night and eerie light during the day. Dark Skies explores this experience of a shadowy, mysterious natural world. A study in the artistic sublime, the three patterns of modular tile allow designers to build subtle, atmospheric drama into their spaces.



## Dark Skies Collection

Style	Coast (Modular)	Drift (Modular)	Haze (Modular)
Construction	Textured Patterned Loop	Textured Patterned Loop	Textured Patterned Loop
Face Fiber	Type 6,6 Nylon	Type 6,6 Nylon	Type 6,6 Nylon
Dye Method	Solution	Solution	Solution
Gauge	5/64 (50.39 per 10 cm)	5/64 (50.39 per 10 cm)	5/64 (50.39 per 10 cm)
Stitches Per Inch	9.5 (37.40 per 10 cm)	10 (39.37 per 10 cm)	8 (31.50 per 10 cm)
Density	6,352 (236.03 kg/m <sup>3</sup> )	7,000 (260.11 kg/m <sup>3</sup> )	12,103 (449.72 kg/m <sup>3</sup> )
Pile Thickness	0.119" (3.02 mm)	0.108" (2.74 mm)	0.116" (2.95 mm)
Weight	21 oz/yd <sup>2</sup> (712 g/m <sup>2</sup> )	21 oz/yd <sup>2</sup> (712 g/m <sup>2</sup> )	39 oz/yd <sup>2</sup> (1,322 g/m <sup>2</sup> )
Backing Type	Infinity® 2 Modular	Infinity® 2 Modular	Infinity® 2 Modular
Size	18" x 36" (45.72 x 91.44 cm)	18" x 36" (45.72 x 91.44 cm)	18" x 36" (45.72 x 91.44 cm)
Colors	8	8	8
Packaging	8 yd <sup>2</sup> / 16 Tiles	8 yd <sup>2</sup> / 16 Tiles	8 yd <sup>2</sup> / 16 Tiles
Adhesive	Infinity 2 Adhesive	Infinity 2 Adhesive	Infinity 2 Adhesive
Installation Method	Vertical Ashlar	Vertical Ashlar	Vertical Ashlar
<b>Testing</b>			
Dimensional Stability (Aachen Test)	Passes		
Electrostatic Propensity (AATCC 134)	Less than 3.0 kV		
Flooring Radiant Panel (ASTM E648)	Passes - Class 1 $\geq$ 0.45 watts/cm <sup>2</sup>		
Smoke Density (ASTM E662)	Passes $\leq$ 450		
Methenamine Pill Test (ASTM D2859)	Passes		
Hexapod (ASTM D5252) TARR	3.5 - severe		
<b>Environmental Data</b>			
NSF/ANSI 140 Certification	Infinity® 2 Modular - Gold		
Recycled Content	Contains recycled content		
Indoor Air Quality	CRI Green Label Plus Certified		
Product Declarations	Third Party Verified EPD, HPD		
Carbon Offset	105% Cradle to Gate (A1 - A3), visit website for more information		
LEED	May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs; Building Product Disclosure & Optimization - Sourcing Raw Materials; Building Product Disclosure & Optimization - Material Ingredients; IEQc2 -Low Emitting Materials		
mindful MATERIALS	Visit <a href="http://mindfulmaterials.com">mindfulmaterials.com</a> for current transparency information		
Manufacturing	Calhoun, GA (USA) - ISO 14001 Registered		
<b>Warranty</b>			
	Limited Lifetime Wear & Backing Warranty Limited 15-Year XGUARD® Stain Resistant Warranty Limited 15-Year ColorSafe® Bleach Resistant Warranty		

- Specifications are based on averages from normal manufacturing tolerances. Such variations do not affect product performance.
- Protective chair pads are recommended under office chairs with roller casters to preserve appearance and avoid premature wear.
- As with all quality carpets, slight variation in color may occur from dye lot to dye lot.
- Backing or other materials may be changed without prior notice when shortages occur or when technological advancements provide improved product performance.
- This product is intended solely for use as an indoor floor covering and is not recommended or sold for any other purpose.
- The inherent characteristics of geometric linear patterns can result in double-dark or double-light lines at the seam and to some extent pattern run-off or bias. This is not a manufacturing defect, and as such, should be considered when selecting a modular carpet installation method.
- Please make your final selection from an actual swatch. To order samples, go to [manningtoncommercial.com](http://manningtoncommercial.com) or call 800.241.2262 ext. 6913.