

## RUBBER SUNDRIES

Effective 1.5.26 - Updated 5.13.26

### Rubber

#### Rubber Tile & Sheet Adhesives

Product Description	Container Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT2/Roll		Shelf Life	Product Applications	Trowel/Installation
						Porous				
MR-911 (Acrylic)	1 Gallon (PC)	186842	MR911G	90%	8	125		1 Year	ColorFields (tile/sheet), Rubber tile, Stair Treads (rubber/vinyl)	1/16 x 1/16 x 1/16 "U" Notch - Porous
	4 Gallon	457158	R911G4			500				
MR-721 (2-Part Epoxy)	1 Gallon	457156	MR721G	90%	8	100		1 Year	ColorFields (tile/sheet), Rubber tile (excluding Teles), Stair Treads (rubber/vinyl) - For heavy rolling load areas or where higher risk of topical moisture would be a concern.	1/16 x 1/16 x 1/16 "U" Notch - Porous
MR-725 (2-Part Urethane)	1 Gallon	457157	MR725G	85%	5	135		1 Year	ColorFields (tile/sheet), Rubber tile (excluding Teles), Stair Treads (rubber/vinyl) - For heavy rolling load areas or where higher risk of topical moisture would be a concern.	1/16 x 1/16 x 1/16 "U" Notch - Porous
Mannington Performance Urethane	2 Gallon	592419	809798	99%	15	180-240		1 Year	ColorFields (tile/sheet), Rubber tile, Stair Treads (rubber/vinyl); Reset recycled sports flooring, tile and sheet	1/16 x 1/16 x 1/16 "Square" Notch - Porous
	4 Gallon	585911	809693	99%		360-480				1/16 x 1/16 x 1/16 "Square" Notch - Porous

#### Wall Base Adhesive

Product Description	Container Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT2/Roll		Shelf Life	Product Applications	Trowel/Installation
						Porous				
MR-101 (Cove Base Adhesive)	Cartridges (PC)	186840	MR101C	-	-	See Trowel/ Installation		1 Year	Wall Base (rubber/vinyl); OE, PE, ME, and EE (Sculptured Wall Base) and <b>IdealBase</b>	Coverage: Cartridge 4" - 50 LF Gallon 2.5" - 310 to 340 LF 4" - 220 to 240 LF
	1 Gallon (PC)	186841	MR101G							
	4 Gallon	457154	R101G4							
Double Sided Tape	1" Width	279839	1INSBD	-	-	164 LF/Roll		1 Year	Finish Accessories and Moldings, Rubber Tile, Stair Treads (rubber/vinyl); <b>Use 2" &amp; 6" Widths for installing IdealBase</b>	Peel and Stick
	2" Width	487884	2INSBD							
	4" Width	487886	4INSBD							
	6" Width	186846	6INSBD							
	9" Width	487887	9INSBD							

#### Finishing Accessories & Moldings

Product Description	Container Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT2/Roll		Shelf Life	Product Applications	Trowel/Installation
						Porous				
Double Sided Tape	1" Width	279839	1INSBD	-	-	164 LF/Roll		1 Year	Finish Accessories and Moldings, Rubber Tile, Stair Treads (rubber/vinyl); <b>Use 2" &amp; 6" Widths for installing IdealBase</b> . *(can use Generic Contact Cement)	Peel and Stick
	2" Width	487884	2INSBD							
	4" Width	487886	4INSBD							
	6" Width	186846	6INSBD							
	9" Width	487887	9INSBD							

## RUBBER SUNDRIES

Tech Services: 800.241.2262 Ext 3 Or Internal Extension #6909

Email: calhoun.technical@mannington.com

Weblink: <https://www.manningtoncommercial.com/resources/technical/>

Effective 1.5.26 - Updated 5.13.26

### Rubber

#### Ideal Base Adhesive & Accessories

Product Description	Container Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT <sup>2</sup> /Roll		Shelf Life	Product Applications	Trowel/Installation
						Porous				
MR-101 (Cove Base Adhesive)	Cartridges (PC) 1 Gallon (PC) 4 Gallon	186840 186841 457154	MR101C MR101G R101G4	-	-	See Trowel/ Installation		1 Year	Wall Base (rubber/vinyl); OE, PE, ME, and EE (Sculptured Wall Base) and <b>IdealBase</b>	<b>Coverage:</b> Cartridge 4" - 50 LF Gallon 2.5" - 310 to 340 LF
Mannington Cold Weld	White - 9.8 OZ Sky Gray - 9.8 OZ Black - 9.8 OZ	488118 488119 488120	806230 806231 806232	-	-	50 LF/Tube (Approx. 250 LF of IdealBase) Coverage with IdealBase: 40 LF - 1/4x 1/4 Seam/Cartridge 80 LF - 1/8x1/8 Seam/Cartridge		1 Year	For Sealing Seams in <b>IdealBase™</b>	Apply with Standard Caulking Gun
Quantum Guard Elite Colored Pens	Gray - 204 Beach Sand - 030 Sandy Tan - 112 Bluish White - 168 Gray Beige - 209 Off White - 244 Sky Gray - 663 BlackBrown - 523 Clay - 527	488121 488122 488123 488124 488125 488126 561073 559853 488127	806233 806234 806235 806236 806237 806238 809441 809430 806239	-	-	300 LF Per Pen (Approx. 500 LF of IdealBase)		1 Year	For Sealing Cold Weld and Adding Additional Layer of Protection and Color to <b>Ideal Base</b> Seams	High Quality Acrylic Floor Finish & Urethane Coating That Is Easily Applied. <b>*DO NOT OVER APPLY ONTO THE IDEAL BASE SURFACE*</b>
ColorFields Rubber Weld Rod (CWL2)	Spool	Various	Various	-	-	165 LF/Spool		-	For Heat Welding ColorFields or ColorFields to IdealBase	Heat Weld
Attune Sound Control Underlayment (Rubber backing only)	1 Roll / 120 SF (48" x 30')	543192	SCU100	-	-	-		-	Use when installing IdealBase with Attune Collection	Use the 2-inch double sided tape

#### Stair Tread Adhesive

Product Description	Container Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT <sup>2</sup> /Roll		Shelf Life	Product Applications	Trowel/Installation
						Porous				
MR-911 (Acrylic)	1 Gallon (PC) 4 Gallon	186842 457158	MR911G R911G4	90%	8	125 500		1 Year	ColorFields (tile/sheet), Rubber tile, Stair Treads (rubber/vinyl)	1/16 x 1/16 x 1/16 "U" Notch - Porous
MR-721 (2-Part Epoxy)	1 Gallon	457156	MR721G	90%	8	100		1 Year	ColorFields (tile/sheet), Rubber tile (excluding Teles), Stair Treads (rubber/vinyl) - For heavy rolling load areas or where higher risk of topical moisture would be a concern.	1/16 x 1/16 x 1/16 "U" Notch - Porous
MR-725 (2-Part Urethane)	1 Gallon	457157	MR725G	85%	5	135		1 Year	ColorFields (tile/sheet), Rubber tile (excluding Teles), Stair Treads (rubber/vinyl) - For heavy rolling load areas or where higher risk of topical moisture would be a concern.	1/16 x 1/16 x 1/16 "U" Notch - Porous
MR-715 (2-Part Epoxy)	Cartridges (PC) 1 Gallon	186843 464904	MR715C MR715G	-	-	50 LF/Cartridge 300 LF/1-Gallon		1 Year	Stair tread nose filler (rubber/vinyl)	Use putty knife with 1/4" bead

## RUBBER SUNDRIES

Tech Services: 800.241.2262 Ext 3 Or Internal Extension #6909

Email: calhoun.technical@mannington.com

Weblink: <https://www.manningtoncommercial.com/resources/technical/>

Effective 1.5.26 - Updated 5.13.26

### Rubber

#### Stair Tread Safety Tape Options

Product Description	Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT <sup>2</sup> /Roll		Product Applications	Trowel/Installation
						Porous	Shelf Life		
Abrasive Tape #21 - Black	2" x 60'	153565	#21 - Black	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Abrasive Tape #20 - White	2" x 60'	153572	#20 - White	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Abrasive Tape #26 - Orange	2" x 60'	153570	#26 - Orange	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Abrasive Tape #29 - Yellow	2" x 60'	153573	#29 - Yellow	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Abrasive Tape #24 - Gray	2" x 60'	153568	#24 - Gray	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Abrasive Tape #25 - Hazard	2" x 60'	153569	#25 - Hazard	-	-	250	2 Years	Stair Treads and Finishing Accessories	Peel and Stick
Photoluminescent Abrasive Tape 3450-2	2" x 60'	390788	PHOTO	-	-	250		Stair Treads and Finishing Accessories	Peel and Stick

#### QuickStix

Product Description	Size	SAP Code	Order Code	RH%	MVER/ lbs	Coverage - FT <sup>2</sup> /Roll		Product Applications	Trowel/Installation
						Porous	Shelf Life		
Quickstix Field Applied Tape	30"x100'	472142	806144	90%	8	250	2 Years	Rubber Tile, Rubber Sheet, & Attune <b>ONLY</b> ; Not for Use with Stair Treads or Any Other Flooring	Peel and Stick, Premium Universal Primer Required for Rubber Tile & Rubber Sheet; Attune Sound Control Underlayment Required for Attune
Quickstix for Rubber <i>(Primer Included)</i>	1400 SF Min Full Rolls & Full Cartons Only	Various	Various	95%	-	-	2 Years	Rubber Tile & Sheet (Except for Reset Sheet)	Premium Universal Primer Required

#### Primer

Product Description	Container Size	SAP Code	Order Code	Coverage	Product Applications	Description
Premium Universal Primer <i>(Automatically ships with Quickstix Rubber Products)</i>	1 Gallon 4 Gallon	293552 293549	804560 804558	350-400 SF per gallon	Optional for All Products except QuickStix, Required for QuickStix	Medium nap paint roller. For large jobs, apply with garden sprayer, airless rig or regular paint sprayer. Primer/pH Blocker/Neutralize Alkali /Integra HP/Installations specific to FreLock Tabs