



Color Collective Collection

Mannington
COMMERCIAL



Cover: Kaleidoscope – Monstera
Prisma 30 – Grassy Meadow
Prisma 30 – Monstera

Above: Kaleidoscope – Island Blue
Prisma 30 – Obsidian
Prisma 30 – Flannel



Kaleidoscope – Buzzy Yellow
Prisma 30 – Island Blue
Prisma 30 – Squawk Box
Prisma 30 – Flannel
Prisma 30 – Lava Rock



Kaleidoscope – Milk Thistle

CHOOSING THE RIGHT LVT CONSTRUCTION

| | 2.5 mm LVT | 5 mm LVT |
|------------------------------------|--|--|
| Acoustics (IIC Ratings) | 50 IIC 6" slab with drop ceiling | 54 IIC 6" slab with drop ceiling |
| Embodied Carbon | Uses 2x less raw materials than 5 mm Uses 2.5x less energy than 5 mm | Uses 2x more raw materials than 2.5 mm Uses 2.5x more energy than 2.5 mm |
| Sustainability | 105% Carbon Offset cradle to gate (A1-A3) +Vantage Vinyl Verified Silver Recyclable at end of life | 105% Carbon Offset cradle to gate (A1-A3) +Vantage Vinyl Verified Silver Recyclable at end of life |
| Carpet Transition Options | Use Mannington Commercial Fusion Strip to transition from to carpet | Transitions to carpet without added installation accessories |
| Installation Considerations | Approved for Heavy Rolling Loads Shows more subfloor irregularities than 5 mm Glue down only | Approved for Heavy Rolling Loads Shows less subfloor irregularities than 2.5 mm Glue down & perimeter glue |
| Warranty | 20-year Commercial 20-Year Quantum Guard Elite® | 20-year Commercial 20-Year Quantum Guard Elite® |
| Origin | Proudly Made in USA | Proudly Made in USA |



Proudly made in the USA
BABAA Compliant



Kaleidoscope – Squawk Box
Prisma 30 – Buzzy Yellow
Prisma 30 – Flannel
Prisma 30 – Grassy Meadow
Prisma 30 – Squawk Box



Design Solutions


Whether you're looking for design support from the start of a project or in the final phase, Mannington's Design Solutions team can help. Our team of designers is here to support you, our customers, through every step of the design process, from concept to installation.

Your Vision Realized

Our team of designers with diverse backgrounds in interior design, graphic design and textile design will work with you to provide solutions, knowledge and options to simplify the design process and bring your vision to life.

Deliverables

- > Product Palettes
- > 2D and 3D Renderings
- > Composites
- > Configurations
- > Finished Plans
- > Rendered Floor Plan
- > Estimates
- > Installation Diagrams
- > Revit Files
- > Construction Documents



Defeat Damp Spaces

Your job just got easier. With our comprehensive moisture solutions for LVT, you can defeat the most extreme high moisture conditions.

Best Solutions for:

Any Slab Condition

NO Moisture Testing Required – NO RH limit, NO Testing*

Adhesive

MoistureLoc

*** Conditions**

No hydrostatic pressure | No standing water or visible water stains | Slab is at least 45 days old

Best Solutions for:

Slabs with Intact Vapor Barrier (Class B or better)

Quick pH Testing Required**

Adhesive

pH

V-88

12

MoistureLoc

None

QuickStix® with Moisture Resistant Primer**

12

**** Conditions**

Intact Class B or better vapor barrier | No hydrostatic pressure | No standing water or visible water stains | Slab is at least 45 days old

Best Solutions for:

Unknown Slab Conditions

Moisture Testing Required

Adhesive

RH%

MVER

pH

V-88

95

10

12

MoistureLoc

None

None

None

XpressStep LVT & Sheet

98

10

12

QuickStix® with Premium Universal Primer (with IVB)

99

18

12

QuickStix® with Premium Universal Primer (No IVB)

95

10

12

V-95

85

5

9



QUANTUM GUARD®
elite

Success Is in Our Science



Quantum Guard Elite is a proven, patented technology that provides the ultimate solution for all aspects of LVT performance.

- > Highest scratch resistance in the industry
- > Engineered for best-in-class dimensional stability
- > Superior impact resistance
- > Cuts cleanly for highest quality installation
- > Easy no-polish maintenance significantly reduces overall life cycle cost and total cost of ownership
- > Advanced stain resistance

Outperforms in Scratch Resistance


Quantum Guard Elite

Leading Competitor



With a patented two-part wear layer and aluminum oxide infused top coat, Quantum Guard Elite offers superior scratch resistance vs. the leading competitor.



Complete Multi-Layered Protection
Quantum Guard Elite combines a hard wear layer and a flexible wear layer for superior durability with the added protection of our proprietary aluminum oxide technology.



Best-in-Class Dimensional Stability

Quantum Guard Elite


Leading Competitor



LVT with Quantum Guard Elite is fully engineered to offer the perfect balance of hardness and flexibility, which helps prevent product failures in commercial environments. (Products exposed to 80° C for six hours.)

Warranted to Work

Products with Quantum Guard Elite feature our Limited Quantum Guard Elite Wear Warranty and Limited Commercial Warranty.



| Available Profile Heights | BurkeBase® Premium TS Molded 1/8" | BurkeBase® Type TP 1/8" | BurkeBase® Type TV 1/8" | BurkeBase® Type TV .080" |
|---------------------------|-----------------------------------|-------------------------|-------------------------|--------------------------|
| | 4" (102 mm) | 2.5" (64 mm) | 2.5" (64 mm) | 2.5" (64 mm) |
| | 6" (152 mm) | 4" (102 mm) | 4" (102 mm) | 4" (102 mm) |
| | | 4.5" (114 mm) | 4.5" (114 mm) | 6" (152 mm) |
| | | 6" (152 mm) | 6" (152 mm) | |
| | Coved | Coved or Toeless | Coved or Toeless | Coved or Toeless |

Warranty This product is backed by our Limited 5-Year Commercial Warranty.

Corners BurkeBase® Premium Type TS factory molded corners are available with 4" and 6" coved corners. Must be ordered at time of wall base order to ensure color match.
 BurkeBase® Type TP/TV pre-formed corners are available in all profile heights. Must be ordered at time of wall base order to ensure color match (Outside Corners Only).

Custom Colors Minimums apply.
 Please make final selection for all colors from actual product samples.
 For samples and information, visit manningtoncommercial.com or call 800.241.2262.



Edge Effects Wall Base Collection

An architectural accent, creating the elegant effect of a milled wood base without the expensive installation, indentations, scuffs, and abrasions. Requires no nailing, priming, or painting. Co-extruded thermoplastic rubber (type tp) engineered for flexible application to walls, corners, and columns.

40 Colors

16 Styles

In a smooth, matte finish for a flawless look in any room.

7 Profile Heights

Style-dependent, in four thicknesses.

Sustainability

- > FloorScore
- > HPD

Warranty

- > Limited 5-Year Commercial



Cetera




Illusion



Etched

All styles are viewable online.




View Edge Effects Online




Made in the USA
BABAA Compliant

Kaleidoscope is a high-variation visual with substantial shade, granulation, and character differentiation between tiles. Due to this variation, tiles should be blended from multiple cartons during installation to achieve the intended aesthetic.



Kaleidoscope 18" x 18" Tile Set




Kaleidoscope 18" x 18" Tile Layout

Color Collective Collection 2.5 mm & 5 mm | Product Availability


| Product Name | 2.5 mm Color Code | 5 mm Color Code | Surface Finish - Ceramic | 18" x 18" | Variability |
|-------------------------------|-------------------|-----------------|--------------------------|-----------|-------------|
| 2.5 mm & 5 mm | | | | | |
| Kaleidoscope - Buzzy Yellow | 25324 | 50324 | • | • | high |
| Kaleidoscope - Grassy Meadow | 25325 | 50325 | • | • | high |
| Kaleidoscope - Island Blue | 25329 | 50329 | • | • | high |
| Kaleidoscope - Milk Thistle | 25321 | 50321 | • | • | high |
| Kaleidoscope - Monstera | 25376 | 50376 | • | • | high |
| Kaleidoscope - Pewter | 25300 | 50300 | • | • | high |
| Kaleidoscope - Squash Blossom | 25332 | 50332 | • | • | high |
| Kaleidoscope - Squawk Box | 25327 | 50327 | • | • | high |
| Prisma 30 - Buzzy Yellow | 25224 | 50224 | • | • | low |
| Prisma 30 - City Mouse | 25265 | 50265 | • | • | low |
| Prisma 30 - Flannel | 25266 | 50266 | • | • | low |
| Prisma 30 - Grassy Meadow | 25225 | 50225 | • | • | low |
| Prisma 30 - Island Blue | 25229 | 50229 | • | • | low |
| Prisma 30 - Lava Rock | 25263 | 50263 | • | • | low |
| Prisma 30 - London Fog | 25239 | 50239 | • | • | low |
| Prisma 30 - Milk Thistle | 25221 | 50221 | • | • | low |
| Prisma 30 - Monstera | 25276 | 50276 | • | • | low |
| Prisma 30 - Obsidian | 25280 | 50280 | • | • | low |
| Prisma 30 - Squash Blossom | 25232 | 50232 | • | • | low |
| Prisma 30 - Squawk Box | 25227 | 50227 | • | • | low |

Color/Pattern Variability

Color and visual variation are inherent in all resilient products. Variability can fluctuate from slight or significant, and from tile to tile. Our pattern variability ratings range from low (little variation) to high (significant variation).



Low: Slight variation



Medium: Moderate variation



High: Substantial variation

Xpress Fusion

Rubber Transition Strip

When carpet and LVT adjoin, there are often differences in product heights. Eliminate the problem with Fusion Rubber Transition Strips. Place Fusion Strips wherever carpet tile meets LVT to create a subtle transition with minimal visual interruption. Place Fusion Strips wherever carpet tile meets 2.5mm LVT to create a subtle transition with minimal visual interruption.

Product Information

- > 2.125" reduction width, 6' length
- > 20 pieces of 6' sections per carton (120 lin ft)

5 Xpress Colors

Platinum Metallic 117



Gray Beige 209



Charcoal 217



BlackBrown 523





Black 701



Compact Mixed Flooring Reducer

Fusion Rubber Transition Strips provide a 6-7 mm reduction over 2.125 inches that are easy to install.



Environmental Attributes

- > FloorScore Certified; CDPH v 1.2 - 2017
- > May contribute to LEED credits

Color Collective Collection 2.5 mm & 5 mm

| Style | Kaleidoscope | Prisma 30 |
|---------------------------|--|--|
| Construction | Luxury Vinyl Tile Non-ortho Phthalate | Luxury Vinyl Tile Non-ortho Phthalate |
| Classification | ASTM F1700 Class III, Type B | ASTM F1700 Class III, Type B |
| Overall Thickness | 0.098" (2.5 mm), 0.197" (5 mm) | 0.098" (2.5 mm), 0.197" (5 mm) |
| Wear Layer Thickness | 30 mil (0.76 mm) | 30 mil (0.76 mm) |
| Wear Layer | Quantum Guard Elite® | Quantum Guard Elite® |
| Edge Treatment | Unbeveled | Unbeveled |
| Sizes | 18" x 18" (457 x 457 mm) | 18" x 18" (457 x 457 mm) |
| Colors | 8 | 12 |
| Environmental Data | | |
| Indoor Air Quality | FloorScore Certified; CDPH v1.2-2017 | |
| Product Declarations | Third party verified EPD, HPD | |
| Carbon Offset | 105% Cradle to Gate (A1-A3), see website for additional information | |
| LEED | May contribute to LEED credits: Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials Building Product Disclosure & Optimization - Material Ingredients; IEQc2 - Low Emitting Materials | |
| Manufacturing | Madison, GA (USA) - ISO 14001 EMS & ISO 9001 QMS Registered, +Vantage Vinyl Verified Silver | |
| Warranty | | |
| | Limited 20-Year Commercial Warranty Limited 20-Year Quantum Guard Elite® Wear Warranty | |



View full collection specs.