



Primary Elements® Collection

Mannington
COMMERCIAL



Cover: Bond - Aura PE104, Cadmia PE103, Azure PE109, Beam PE112, Spar PE107, Helios PE113
Above: Structure - Aura PE124, Cadmia PE123, Selene PE128, Beam PE132, Spar PE127, Alumina PE139

Primary Elements Collection

Style	Bond, Structure - 20 mil	Bond, Structure - 12 mil*
Construction	Luxury Vinyl Tile (Non-ortho Phthalate)	Luxury Vinyl Tile (Non-ortho Phthalate)
Classification	ASTM F1700 Class III, Type B	ASTM F1700 Class III, Type B
Overall Thickness	0.098" (2.03 mm)	0.080" (2.0 mm)
Wear Layer Thickness	20 mil (0.51 mm)	12 mil (0.30 mm)
Wear Layer	Enhanced Urethane	Enhanced Urethane
Width	Micro-bevel	Square
Colors	20 each style	20 each style
Sizes	12" x 12" (305 x 305 mm) 12" x 24" (305 x 610 mm)	12" x 12" (305 x 305 mm) 12" x 24" (305 x 610 mm)

Environmental Data

Indoor Air Quality	FloorScore Certified; CDPH v1.2-2017
Product Declarations	Third Party Verified EPD, HPD
Carbon Offset	105% (Cradle to Gate (A1-A3); visit website for more information)
LEED	May Contribute to LEED Credits Building Product Disclosure & Optimization - EPDs Building Product Disclosure & Optimization - Sourcing Raw Materials Building Product Disclosure & Optimization - Material Ingredients; IEQc2 - Low Emitting Materials
mindful MATERIALS	Visit mindfulmaterials.com for current transparency information
Manufacturing	Madison, GA (USA) - ISO 14001 EMS & ISO 9001 QMS Registered, Vantage Vinyl™ Verified Silver

Warranty

20 mil Products - Limited 10-Year Commercial Warranty
12 mil Products - Limited 10-Year Light Commercial Warranty

* 2,000 ft² minimum



View full collection specs.