

Burke
COLLECTION

Mannington Commercial Rubber Portfolio

Mannington®
COMMERCIAL

At Mannington Commercial, our heart lies in our craft. We make exceptional flooring products with thoughtful design and uncompromising quality. We strive to provide you with ongoing resources and sustainable solutions to support your creative vision. Because ultimately, what we are crafting is not only award-winning flooring, but a partnership.

Table of Contents

04	Rubber Performance
05	Rubber Sheet and Tile
12	Accessories
46	Index

Rubber Performance

Our superior recipe with proper curing allows our rubber products to look better and be easier to maintain long-term.

- Carefully engineered profiles provide better acoustics and greater comfort underfoot
- Never needs to be waxed, thanks to a proprietary combination of inherent waxes
- Superior thermoset rubber retains color, resists indentation and crackling, and is quiet underfoot
- Superior scratch-resistance due to low clay and high pigment content
- No finish or stripping, lowers maintenance costs
- Low emission: FloorScore Certified
- Excellent wear resistance
- Slip resistant
- Quiet under wheeled traffic
- Floor Score Certified (indoor air quality)
- Profile design allows for enhanced cleanability



Rubber Sheet & Tile



Color Anchor Collection

Style: ColorScape®



Almond
403



Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205



Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503



Gray
204

Construction Thermoset Rubber Tile
 Sizes 18.125" x 18.125", 36" x 36",
 36.125" x 36.125", 36.25" x 36.25"
 (profile dependent)
 Total Thickness 1/8" (3.175 mm)
 Finish Matte
 Profiles Square, Sculptured, Round


Sustainability EPD Verified, FloorScore,
 mindful MATERIALS
 Warranty Limited 10-Year Commercial,
 Limited 10-Year Wear
 Price \$\$\$



Gray Beige
209



Gray Blue
672



Jackalope
190




Light Gray
208



Mango
070



Mocha
597



Moonbeam
050



Mountain Meadow
077



Navy
875



Ocean Blue
115



Off White
244



Peacock
120



Pecan
504



Rocky
660



Sandy Tan
112



Sky Gray
663



Sugar Snap
055



Tumbleweed
033




Color Anchor Collection

Style: ColorSpec®



Abyss
045




Agate Gray
027



Alpine Meadow
054



Block Island
169



British Poppy
181



Bumble Bee
193



Canyon
862



Coast Line
073



Cocoa
061



Cosmic Latte
089




Desert
105



Dragon
188



Edelweiss
079



English Pea
177



Flint
034



Glimmer
056



Gray Dog
057



Iceberg
074

Construction.....Thermoset Rubber Tile
 Sizes.....18" x 18", 18.125" x 18.125", 36" x 36"
 36.125" x 36.125", 36.25" x 36.25"
 (profile dependent)
 Total Thickness.....1/8" (3.175 mm)
 Finish.....Matte
 Profiles.....Square, Sculptured, Smooth

Sustainability.....EPD Verified, FloorScore,
 mindful MATERIALS
 Warranty.....Limited 10-Year Commercial,
 Limited 10-Year Wear
 Price.....\$\$\$



Island Sky
037




Kaolin
042



Nautical Twilight
171



Nimbus
047




Old Western
195



Praline
076



Rain Cloud
162



Redwood Forest
194



Sand Dollar
869



Shale Gray
010



Side Out
029



Spanish Orange
131



Stone Set
065



Tail Feather
078



Terrain
041



Thatch
861



Unbleached Silk
093




White Smoke
166



Reset®


Style: Reset




Beige Tones
824




Black Tones
828




Blue Tones
820



Gray Tones
827



Green Tones
825



Red Tones
821

Construction Recycled Rubber Sports Flooring
 Sizes 18" x 18", 24" x 24", 4' x 50'
 Total Thickness 3/8" (9 mm)

Sustainability EPD Verified, FloorScore,
 mindful MATERIALS

Warranty Limited 5-Year Commercial

Price \$\$\$



Accessories



Edge Effects® Wall Base Collection

Styles Listed Below



Cache®



Cetera®



Double Etched



Elegance



Etched



Flair



Iconic®



Illusion®



Lunar




Marquee®



Regal



Simple



Simplicity



Sophisticate®



Corner Guard



Effectual® Chair Rail



Quarter Round

Construction Co-extruded Thermoplastic
Rubber, Type TP

Profile Heights 3", 3 1/4", 4", 4 1/4", 4 1/2",
5 1/4", 6" (style dependent)

Total Thickness 1/4", 3/16", 5/16", 3/8"
(profile dependent)

Finish Matte

Profile Smooth

Sustainability FloorScore, mindful MATERIALS

Warranty Limited 5-Year Commercial



Almond
403 Accord



Ash
603 Accord



Baja
519 Accord



Beach Sand
030 Accord



Black
701 Accord



BlackBrown
523 Accord



Bluish White
168



Brown
502 Accord



Carmine Gray
674 Accord



Charcoal
217 Accord



Clay
527 Accord



Cream
205 Accord



Daffodil
820 Accord



Dark Forest
331 Accord



Desert Sand
118 Accord



Frosted Jade
210 Accord



Geranium
966 Accord



Ginger
503 Accord



Gray
204 Accord



Gray Beige
209 Accord



Gray Blue
672 Accord



Jackalope
190 Accord



Light Gray
208 Accord



Mango
070 Accord



Mocha
597 Accord



Moonbeam
050 Accord



Mountain Meadow
077 Accord



Nougat
150



Navy
875 Accord



Ocean Blue
115 Accord



Off White
244 Accord



Peacock
120 Accord



Pearl
137




Pecan
504 Accord



Rocky
660 Accord



Sandy Tan
112 Accord




Sky Gray
663 Accord



Sugar Snap
055 Accord



Tumbleweed
033 Accord



White
401



Wall Base Collection

Style: BurkeBase Type TP, Type TV



Almond
403 Accord



Apricot Haze
407




Armada
099



Ash
603 Accord



Autumn Oak
512




Baja
519 Accord



Beach Sand
030 Accord



Beige
203



Black
701 Accord



BlackBrown
523 Accord



Bluebonnet
323




Bluish White
168



Bright Blue
092



Bright White
170




Bronze Metallic*
108



Brown
502 Accord



Buttercup
101



Cafe
968

Construction Type TS, Co-extruded
Thermoplastic Rubber, Type TP,
Co-extruded Thermoplastic
Vinyl, Type TV

Profile Heights 2 1/2", 4", 4 1/2", 6", 10"
(style dependent)


Total Thickness 0.080" (2.0 mm), 1/8" (3.2 mm)

Profile Coved and Toeless (style dependent)

Finish Matte

Sustainability HPD Verified, FloorScore,
mindful MATERIALS

Warranty Limited 5-Year Commercial




Camel
305



Carmine Gray
674 Accord



Charcoal
217 Accord



Cherrywood
434



Chocolate
201



Citron
036




Clay
527 Accord



Clementine
080



Copper Metallic*
123




Cranberry
607



Cream
205 Accord



Daffodil
820 Accord



Dark Bronze
860



Dark Forest
331 Accord



Deep Space
198



Desert Sand
118 Accord



Dusk Blue
520



Eggplant
965



Espresso
103




Evergreen
283



Frosted Jade
210 Accord



Fudge
104



Geranium
966 Accord



Ginger
503 Accord



Gray
204 Accord



Gray Beige
209 Accord




Gray Blue
672 Accord



Horizon
920



Irish Gray
110



Jackalope
190 Accord



Jet Gray
192




Khaki Green
246



Lemon Curd
102



Light Beige
206



Light Gray
208 Accord



Light Teal
254



Wall Base Collection Continued

Style: BurkeBase Type TP, Type TV

ConstructionType TS, Co-extruded
Thermoplastic Rubber, Type TP,
Co-extruded Thermoplastic
Vinyl, Type TV

Profile Heights2 1/2", 4", 4 1/2", 6", 10"
(style dependent)

Total Thickness0.080" (2.0 mm), 1/8" (3.2 mm)

ProfileCoved and Toeless (style dependent)

FinishMatte

SustainabilityHPD Verified, FloorScore,
mindful MATERIALS

WarrantyLimited 5-Year Commercial



Silver Pine
922




Silver Screen
173



Sky Gray
663 Accord



Spring Green
044



Stardust
040



Steel Lavender
810




Straw
545




Sugar Snap
055 Accord




Tahoe
506



Tandor
090



Thunder
727



True Blue
505



Tumbleweed
033 Accord



Tweed
508



Wedgewood
970



White
401




Wall Base Collection

Style: BurkeBase Premium TS Molded



Beige
203




Black
701 Accord



BlackBrown
523 Accord



Bluebonnet
323



Brown
502 Accord



Carmine Gray
674 Accord



Charcoal
217 Accord




Chocolate
201



Clay
527 Accord



Espresso
103



Fudge
104



Ginger
503 Accord



Gray
204 Accord




Gray Beige
209 Accord



Gray Blue
672 Accord



Light Beige
206



Light Gray
208 Accord



Mocha
597 Accord

ConstructionVulcanized Thermoset Rubber,
Type TS

Profile Heights4", 6"
Total Thickness 1/8" (3.2 mm)

ProfileCoved

FinishSatin

SustainabilityHPD Verified, FloorScore,
mindful MATERIALS

WarrantyLimited 5-Year Commercial



Navy
875 Accord



Off White
244 Accord



Ore
628



Rocky
660 Accord



Sky Gray
663 Accord



Thunder
727



Tweed
508



Stairway Systems

Style: ColorScape® Stair Treads & Risers



Almond
403




Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205



Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503



Gray
204

Construction.....Vulcanized Thermoset Rubber,
Type TS
Tread Lengths.....3', 4', 5', 6'
Total Thickness.....1/8" (3.2 m)


Profile.....Round, Square, Sculptured.
ConnectStep® one piece treads and
Risers in Round and Sculptured
Sustainability.....FloorScore, mindful MATERIALS
Warranty.....Limited 10-Year Commercial, Limited
10-Year Wear, Limited 5-Year Nosing



Gray Beige
209



Gray Blue
672



Jackalope
190



Light Gray
208



Mango
070



Mocha
597



Moonbeam
050



Mountain Meadow
077



Navy
875



Ocean Blue
115



Off White
244



Peacock
120



Pecan
504



Rocky
660



Sandy Tan
112




Sky Gray
663



Sugar Snap
055



Tumbleweed
033




Risers are available in coordinating colors.


Please see page 39 for visually impaired color options.
Please see page 4 for rubber performance features.
Please see page 26 for ConnectStep® Stair Treads

Round Profile | Square Nose & Visually Impaired*

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- F = 80°




- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- E = 2"
- F = 80°




Square Profile | Square Nose & Visually Impaired*

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- F = 80°



- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- E = 2"
- F = 80°



Sculptured Profile | Square Nose & Visually Impaired*

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- F = 80°



- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- E = 2"
- F = 80°






Stairway Systems

Style: ColorSpec® Stair Treads & Risers



Abyss
045



Agate Gray
027



Alpine Meadow
054



Block Island
169



Bumble Bee
193



British Poppy
181



Canyon
862



Coast Line
073



Cocoa
061



Cosmic Latte
089




Desert
105



Dragon
188



Edelweiss
079



English Pea
177



Flint
034



Glimmer
056



Gray Dog
057



Iceberg
074

Construction.....Vulcanized Thermoset Rubber,
Type TS

Tread Lengths.....3', 4', 5', 6'

Total Thickness.....1/8" (3.2 mm)

Profile.....Square, Sculptured. ConnectStep® one
piece treads and Risers in Sculptured

Sustainability.....FloorScore, mindful MATERIALS

Warranty.....Limited 10-Year Commercial, Limited
10-Year Wear, Limited 5-Year Nosing



Island Sky
037



Kaolin
042



Nautical Twilight
171



Nimbus
047




Old Western
195



Praline
076



Rain Cloud
162



Redwood Forest
194



Sand Dollar
869



Shale Gray
010



Side Out
029



Spanish Orange
131



Stone Set
065



Tail Feather
078



Terrain
041




Thatch
861



Unbleached Silk
093



White Smoke
166



Risers are available in coordinating colors.


Please see page 39 for visually impaired color options.
Please see page 4 for rubber performance features.
Please see page 26 for ConnectStep® Stair Treads

Square Profile | Square Nose & Visually Impaired*

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- F = 80°
- G = 7"
- H = .125"



- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- E = 2"
- F = 80°
- G = 7"
- H = .125"



Sculptured Profile | Square Nose & Visually Impaired*

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- F = 80°
- G = 7"
- H = .125"




* Refer to architect folder for actual texture and color

- A = 13"
- B = 1.813"
- C = .18"
- D = .13"
- E = 2"
- F = 80°
- G = 7"
- H = .125"



* Refer to architect folder for actual texture and color



Stairway Systems

Style: **ConnectStep®**

ConnectStep speeds installation, reduces maintenance and provides a uniform, seamless and contoured look. ConnectStep automatically adjusts for step depths of between 9.5 inches and 13 inches. This also allows for adjustments to varying riser heights. Available in ColorSpec's Sculptured Profile and ColorScape's Round or Sculptured Profiles with optional VI strip inserts.

ColorScape® Colors



Almond
403




Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205



Daffodil
820

Construction.....Vulcanized Thermoset Rubber,
Type TS

Tread Lengths.....3', 4', 5', 6'

Total Thickness.....1/8" (3.2 mm)

Profile.....ColorScape – Round, Sculptured.*
ColorSpec – Sculptured.*

Sustainability.....FloorScore, mindful MATERIALS

Warranty.....Limited 10-Year Commercial, Limited
10-Year Wear, Limited 5-Year Nosing



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503




Gray
204




Gray Beige
209



Gray Blue
672



Jackalope
190



Light Gray
208



Mango
070



Mocha
597



Moonbeam
050



Mountain Meadow
077



Navy
875



Ocean Blue
115



Off White
244



Peacock
120



Pecan
504



Rocky
660



Sandy Tan
112




Sky Gray
663



Sugar Snap
055



Tumbleweed
033




ConnectStep® with Visually Impaired Strip

- B = 1.88"
- C = .188"
- D = .188"
- F = 80°
- H = .080"
- I = 20"



ConnectStep® without Visually Impaired Strip

- B = 1.88"
- C = .188"
- D = .188"
- F = 80°
- H = .080"
- I = 20"





Abyss
045



Agate Gray
027



Alpine Meadow
054



Block Island
169



Bumble Bee
193



British Poppy
181



Canyon
862



Coast Line
073



Cocoa
061



Cosmic Latte
089




Desert
105



Dragon
188



Edelweiss
079



English Pea
177



Flint
034



Glimmer
056



Gray Dog
057



Iceberg
074



Island Sky
037



Kaolin
042



Nautical Twilight
171



Nimbus
047



Old Western
195



Praline
076

ColorSpec® Colors

Stairway Systems Continued

Style: **ConnectStep®**

Construction.....Vulcanized Thermoset Rubber,
Type TS
Tread Lengths.....3', 4', 5', 6'
Total Thickness.....1/8" (3.2 mm)

Profile.....ColorScape – Round, Sculptured.*
ColorSpec – Sculptured.*
Sustainability.....FloorScore, mindful MATERIALS
Warranty.....Limited 10-Year Commercial, Limited
10-Year Wear, Limited 5-Year Nosing




Rain Cloud
162



Redwood Forest
194



Sand Dollar
869



Shale Gray
010



Side Out
029



Spanish Orange
131



Stone Set
065



Tail Feather
078



Terrain
041



Thatch
861



Unbleached Silk
093



White Smoke
166

Please see page 39 for visually impaired color options.
Please see page 4 for rubber performance features.



Stairway Systems

Style: Linear Series – Commercial 250, 210, 150



Almond
403




Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205



Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966




Ginger
503



Gray
204

Construction Co-extruded Thermoset
 Rubber, Type TP or Co-extruded
 Thermoplastic Vinyl, Type TV
Tread Lengths 3', 3 1/2", 4', 6', 8', 12'
Total Thickness 250 - 0.250" (6 mm), 210 - 0.210"
 (5 mm), 150 - 0.150" (4 mm)

Profile Commercial 250, Commercial 210,
 Commercial 150
Sustainability FloorScore, mindful MATERIALS
Warranty Limited 5-Year Commercial



Flexible Nose For Easy Compliance

Commercial 250 - Heavy Traffic | Vinyl or Rubber

- A = 12"
- B = 1.625"
- B2 = 1.5"
- C = .25"
- D = .125"




Six-Grip Strip

- Co-extruded Thermoplastic Vinyl, Type TV or Co-extruded Thermoplastic Rubber, Type TP
- Design: Six Grip Strip
- Square or round nose
- 36 Accord Colors
- Epoxy nose filler required

Commercial 210 - Normal Traffic | Vinyl Only

- A = 12"
- B = 1.5"
- C = .21"
- D = .125"



**Pyramidal Gripper
Square Nose Only**

- Co-extruded Thermoplastic Vinyl, Type TV
- Design: Pyramidal Gripper
- Square nose
- 36 Accord Colors
- Epoxy nose filler required


Commercial 150 - Light Traffic | Vinyl Only

- A = 12"
- B = 1.5"
- B2 = 1.5"
- C = .15"
- D = .125"



**Full Depth
Corrugation**

- Co-extruded Thermoplastic Vinyl, Type TV
- Design: Full Depth Corrugation
- Square or round nose
- 36 Accord Colors
- Epoxy nose filler required




ADA




Stairway Systems


Style: Linear Series - Maxxi-Treads



Gray with
Black Stripes



Fudge with
Tan Stripes



Black with
Gray Stripes




Charcoal with
Black Stripes



Charcoal with
Gray Stripes

Available in 5 predetermined color combinations with cleats for maximum slip-resistance as shown.

Also, any color combination of the 36 Accord tread colors can be special ordered; minimum quantities apply.



A = 13"
B = 2"
C = .25"
D = .125"
E = 4.25"



Construction.....Co-extruded Thermoplastic
Rubber, Type TP or Co-extruded
Thermoplastic Vinyl, Type TV

Tread Lengths.....3', 3 1/2", 4', 6', 8', 12'

Total Thickness.....1/4" tapering to 1/8"

Profile.....Linear

Sustainability.....FloorScore, mindful MATERIALS

Warranty.....Limited 5-Year Commercial



Stairway Systems

Style: Linear Series - Visually Impaired Safety Stair Treads



Almond
403




Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205




Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503



Gray
204

Construction.....Co-extruded Thermoplastic
Rubber, Type TP or Co-extruded
Thermoplastic Vinyl, Type TV


Tread Lengths.....3', 3 1/2", 4', 6', 8', 12'

Total Thickness.....1/4" (6 mm)

Profile.....Visually Impaired Safety, Square Nose


Sustainability.....FloorScore, mindful MATERIALS

Warranty.....Limited 5-Year Commercial



Design: 2" (50.800 mm) Abrasive Strip


- A = 12"
- B = 1.625"
- C = .25"
- D = .125"
- E = 2"



Stairway Systems Continued


Style: Linear Series - Visually Impaired Safety Stair Treads

Construction	Co-extruded Thermoplastic Rubber, Type TP or Co-extruded Thermoplastic Vinyl, Type TV	Profile	Linear
Tread Lengths	3', 3 1/2", 4', 6', 8', 12'	Sustainability	FloorScore, mindful MATERIALS
Total Thickness	1/4" (6 mm)	Warranty	Limited 5-Year Commercial




Stairway Systems

Style: Perpetual Stair Treads




Abyss
045




Black
701



Brown
502




Canyon
862




Charcoal
217



Clay
527



Flint
034




Ginger
503



Gray
204



Kaolin
042



Nimbus
047



Terrain
041

Construction Thermoset Rubber, Type TS
Tread Length 2'
Total Thickness188"

Profile Sculptured with 12" repeat
Sustainability FloorScore, mindful MATERIALS
Warranty Limited 10-Year Commercial, Limited
10-Year Wear, Limited 5-Year Nosing

*Also available with 2" visually impaired strip



Stairway Systems

Style: Linear Stair Nosings



Almond
403




Ash
603




Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205



Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503



Gray
204

Construction Co-extruded Thermoplastic
Rubber, Type TP

Nosing Length 12'

Sustainability FloorScore, mindful MATERIALS


Warranty Limited 1 Year Commercial



Gray Beige
209




Gray Blue
672



Jackalope
190




Light Gray
208



Mango
070



Mocha
597



Moonbeam
050



Mountain Meadow
077



Navy
875



Ocean Blue
115



Off White
244



Peacock
120



Pecan
504



Rocky
660



Sandy Tan
112



Sky Gray
663



Sugar Snap
055



Tumbleweed
033


Please see page 39 for visually impaired color options.
Please see page 4 for rubber performance features.

Safety Nosing

557 Visual Safety Nosing

Contrasting color for Visually Impaired. Accepts 1/4" with lip. Available in any interchangeable combination of the 36 Accord colors.


Pick a color for the nosing and the strip from 36 Accord colors
Packing: 6-12' secs, 72 lin. ft. per carton



577 Visual Safety Nosing for 1/8" Material

Contrasting color insert for Visually Impaired. Available in any interchangeable combination of the 36 Accord colors.

Pick a color for the nosing and the strip from 36 Accord colors
Packing: 10-12' secs, 120 lin. ft. per carton




Safety Nosings continued

578 Visual Abrasive Safety Nosing for 1/8" Material

Visual Abrasive Safety Nosing for 1/8" Material.

Pick a color for the nosing from 36 Accord colors and an insert from the ten abrasive tape colors.
Packing: 10-12' secs, 120 lin. ft. per carton






Stair Nosings


510 Top-Set Nosing (Square Nose)

Covers leading edge of step. May be used over vinyl and sheet goods.
Pick a color for the nosing from 36 Accord colors.
Packing: 20-12' secs., 240 lin. ft. per carton




511 Top-Set Nosing (Round Nose)

Covers leading edge of step. May be used over vinyl and sheet goods.
Packing: 20-12' secs., 240 lin. ft. per carton




560 Double Butt Carpet Stair Nosing

For square nose step. Double butt edge; smooth surface; accommodates step and riser. For 1/4" carpet installations.
Packing: 10-12' secs., 120 lin. ft. per carton




565 Double Undercut Carpet Stair Nosing

For 1/4" and 5/16" carpet. Accommodates step and riser; with ribbed surface.
Packing: 10-12' secs., 120 lin. ft. per carton



566 Double Undercut Carpet Nosing 3/8"


Accommodates 3/8" Multi-Purpose resilient flooring or carpet on both step and riser.
Packing: 4-12' secs., 48 lin. ft. per carton



Stair Nosings continued


570 Superior Carpet Stair Nosing

Friction-Grip nosing for use when only step is covered. Undercut for 1/4" and 5/16" carpet.
Packing: 10-12' secs., 120 lin. ft. per carton




575 Overlap Stair Nosing

Nosing with deep grooves and overlap lip. Accepts material to 1/8" with lip, to 3/16" without lip.
Packing: 10-12' secs., 120 lin. ft. per carton




580 Commercial Step Nosing

Square step nosing for 1/8" material. Ribbed surface.
Packing: 10-12' secs., 120 lin. ft. per carton



585 Top-Set Nosing for 1/4", 1/8" or .080" Material

Ribbed surface nosing can be cut along pre-grooved channels to adjoin 1/4", 1/8" or .080" resilient flooring materials.
Packing: 10-12' secs., 120 lin. ft. per carton



ESN Stair Nosing

Deep reach nosing for top step or landing area installations. Butts to .100" or 1/8" flooring.
Packing: 10-12' secs., 120 lin. ft. per carton



Stairway Systems Continued

Style: Linear Stair Nosings

Construction.....Co-extruded Thermoplastic
Rubber, Type TP
Nosing Length.....12'

Sustainability.....FloorScore, mindful MATERIALS
Warranty.....Limited 1 Year Commercial

Abrasive Tape Colors



Black



Black/Yellow Hazard




Brick



Brown




Gray



Orange



Photoluminescent



Red



White



Yellow

All Visually Impaired Safety Treads meet the California Disabled Access Regulations, Title 24, for the visually impaired when used with contrasting strip color.

Finishing Accessories

Accord® Colors



Almond
403




Ash
603



Baja
519



Beach Sand
030



Black
701



BlackBrown
523



Brown
502



Carmine Gray
674



Charcoal
217



Clay
527



Cream
205




Daffodil
820



Dark Forest
331



Desert Sand
118



Frosted Jade
210



Geranium
966



Ginger
503




Gray
204



Gray Beige
209



Gray Blue
672



Jackalope
190



Light Gray
208



Mango
070



Mocha
597



Moonbeam
050



Mountain Meadow
077



Navy
875



Ocean Blue
115



Off White
244



Peacock
120



Pecan
504



Rocky
660



Sandy Tan
112



Sky Gray
663



Sugar Snap
055




Tumbleweed
033

Finishing Accessories

Joining Moldings – Carpet/Resilient

370 End Cap T

Butts up against edge of 1/2" material to lesser-gauge material. Uses 970, 980, or 990 track only.
Packing: 20-12' secs., 240 lin. ft. per carton



710 Carpet to Resilient Transition

Transitions 5/16" glue-down carpet to 1/8" resilient.
Packing: 10-12' secs., 120 lin. ft. per carton



930 Snap-Down T

Snap-in T molding. Joins 1/4" or 5/16" material on each side. Uses 970, 980, or 990 track only.
Packing: 20-12' secs., 240 lin. ft. per carton



935 Super 2" T

Snap-in T molding. Joins 1/4" or 5/16" material on each side. Uses 970, 980, and 990 track only.
Packing: 20-12' secs., 240 lin. ft. per carton




940 Standard Edge T

Joins 1/4" to lesser-gauge. 1 1/8" wide; 1/4" leg. Uses 970, 980, or 990 track only.
Packing: 20-12' secs., 240 lin. ft. per carton



970 Single Flange Vinyl Track

For 1/4" and 1/2" leg T portions. Use with 360, 365, 930, 935 & 940 T's.
Packing: 20-12' secs., 240 lin. ft. per carton




975 Vinyl Track Extender

Adds height up to 5/8" on Snap-in T molding for ceramic, wood, and laminates. Use with 970 track for 360, 365, 930, 935, and 940 T's.
Packing: 20-12' secs., 240 lin. ft. per carton




980 Pinless Metal Track

Designed to install T moldings 360, 365, 930, 935 and 940. Aluminum.
Packing: 48-12' secs., 576 lin. ft. per carton



990 Metal Track with pins


Designed to install T moldings 360, 365, 930, 935 and 940. Aluminum.
Packing: 48-12' secs., 576 lin. ft. per carton



Cove Supports


070 Cove Stick (Flexible)

Quarter-round. Supports sheet goods for coving. Forms 1" radius at 90° installation. Color: 401 White only.
Packing: 5-20' coils, 100 lin. ft. per carton



075 Cove Stick (Semi-Rigid)

Quarter round. Supports sheet goods for coving. Forms 1" radius at 90° installation. Color: 400 Natural only.
Packing: 100-5' secs., 500 lin. ft. per carton



725 Merstick

Coving support for sheet vinyl. Replaces wood cove. Forms 1" radius at 90° installation. Color: 400 Natural only.
Packing: 100-5' secs., 500 lin. ft. per carton




Edge Finishing Moldings

Available in the 36 Accord Colors

022 Carpet Cove Cap

Semi-rigid capping. For 1/4" and 5/16" coved carpet; one-man installation.
Packing: 20-12' secs., 240 lin. ft. per carton




040 Round Cap 1/8"

Cap for coved sheet goods. 1/8" gauge; round top.
Packing: 50-12' secs., 600 lin. ft. per carton




225 Flex Cove Cap

Cap for 3/16" coved/glue-down carpet.
Packing: 20-12' secs., 240 lin. ft. per carton



230 Mono Edge

Flexible capping. For 1/4" coved/glue-down carpet or grass; one-man installation.
Packing: 20-12' secs., 240 lin. ft. per carton



390 Square Cap 1/8"

Cap for 1/8" coved sheet vinyl.
Packing: 50-12' secs., 600 lin. ft. per carton



400 Custom Edge

Bevel-edge reducer. For 5/16" carpet; deep undercut
Packing: 25-12' secs., 300 lin. ft. per carton



430 Mercap 9/32"

Cap for coved carpet, paneling, and ceramics. 9/32" inside dimension.
Packing: 50-12' secs., 600 lin. ft. per carton



450 Square Cap 1/4"

Square cap for coved carpets and wood panels.
Packing: 40-12' secs., 480 lin. ft. per carton




Corner Guards

Available in the 36 Accord Colors


691 Flexible Corner Guard 2 1/2"

Corner protector. 2 1/2" returns; 3/16" thick; tapered ends.
Packing: 6-54" secs., 27 lin. ft. per carton and 6-108" secs., 54 lin. ft. per carton



693 Flexible Corner Guard 3/4"

Corner protector. 3/4" returns; 1/8" thick; tapered ends.
Packing: 20-54" secs., 90 lin. ft. per carton and 20-108" secs., 180 lin. ft. per carton



695 Flexible Corner Guard 1 1/2"

Corner protector. 1 1/2" returns; 1/8" thick; tapered ends.
Packing: 20-54" secs., 90 lin. ft. per carton and 20-108" secs., 180 lin. ft. per carton



696 Profiles Corner Guard 1"

Designed to complement Mannington Edge Effects.
Packing: 20-96" secs., 160 lin. ft. per carton



Finishing Accessories

THE EQUALIZER


Subfloor Transition System

190, 191, 192 Transitions

190: Butts to reduce from 1/4" to 0" in a 12" wide span. Can be cut at scoreline to reducer height as indicated. Packing: 10-4' secs., 40 lin. ft. per carton

191: Butts to reduce from 3/8" to 0" in a 12" wide span. Can be cut at scoreline to reducer height as indicated. Packing: 5-4' secs., 20 lin. ft. per carton

192: Butts to reduce from 1/2" to 0" in a 12" wide span. Can be cut at scoreline to reducer height as indicated. Packing: 5-4' secs., 20 lin. ft. per carton




Reducers

Available in the 36 Accord Colors


140 Carpet Reducer 1/4"

Reduces 1/4" flooring to 0". 1 1/4" transition.
Packing: 15-20' coils, 300 lin. ft. per carton




144 Butt-to Reducer 3/8"

Edge reducer for 3/8" material in a 2 1/2" width for wheeled traffic.
Packing: 2-50' coils, 100 lin. ft. per carton




146 Universal Reducer 3/8"

Reduces 3/8" materials to 0". 1 5/8" transition.
Packing: 10-12' secs., 120 lin. ft. per carton



147 Overlap Reducer 3/8"

Reducer overlaps 3/8" Multi-Purpose resilient flooring or carpet. 2 1/2" transition.
Packing: 10-12' secs., 120 lin. ft. per carton




148 Material to Substrate Reducer

Reduces 3/8" materials to substrate surface in a 4" wide span.
Packing: 10-12' secs., 120 lin. ft. per carton



149 Material to Substrate Reducer

Reduces 1/2" materials to substrate surface in a 4" wide span.
Packing: 5-12' secs., 60 lin. ft. per carton



Reducers continued

160 Universal Reducer

Edge reducer for 1/2" materials. 2" transition.
Packing: 10-12' secs., 120 lin. ft. per carton




165 Carpet to Resilient Reducer 1/4"

Reduces 1/4" to 1/8" resilient in a 2 1/2" wide span for wheeled traffic.
Packing: 10-12' secs., 120 lin. ft. per carton




170 Carpet Transitional Reducer

9/32" reducer with 2 1/2" transition.
Packing: 10-12' coils, 120 lin. ft. per carton



174 Wedge Shape Reducer 1/8"

Adjoins 1/8" to 0" over a 4" run. Can be used as reducer or as subfloor transition in place of trowelable underlayment.
Packing: 1-100' coil, 100 lin. ft. per carton




175 Carpet Ramp

1/4" reducer with 4" transition. For heavy rolling traffic.
Packing: 10-12' secs., 120 lin. ft. per carton




176 Laminate to Substrate Reducer

Reduces 5/8" laminate to substrate surface in a 4" wide span.
Packing: 6-12' secs., 72 lin. ft. per carton




189 Wide Reducer

Butts to reduce from 1/8" to 0" in a 12" wide span.
Packing: 20-4' secs., 80 lin. ft. per carton




200 Royal Commercial Reducer

Transition reducer. 5/16" undercut for use with tackless or double-stick installations.
Packing: 10-12' secs., 120 lin. ft. per carton




630 Tile Reducer 1/16"

Butts to reduce gauge of resilient to 0". 1" x 36" x 1/16".
Packing: 50-3' secs., or 2-100' coils



632 Tile Reducer 3/32"

Butts to reduce gauge of resilient to 0". 1" x 36" x 3/32".
Packing: 50-3' secs., or 2-100' coils




Finishing Accessories

Reducers continued

633 Tile Reducer 1/8"

Butts to reduce gauge of resilient to 0".
1" x 36" x 1/8".


Packing: 50-3 secs., or 2-100' coils



700 Imperial Reducer 5/16"

1 11/32" transition reducer. For glue-down carpet;
5/16" undercut. Can be trimmed to butt to tile.


Packing: 20-12' secs., 240 lin. ft. per carton



705 Super Imperial Reducer

1 15/16" heavy duty transition reducer.
For glue-down carpet; 5/16" undercut.
Can be trimmed to butt to tile.


Packing: 10-12' secs., 120 lin. ft. per carton



733 (Self-Stick) & 735 (Dry Back) Underslung Reducer

Binder-Bar edging for 1/16" - 1/8" resilient
floors. With self-stick or dry back.


Packing: 22-3' secs., 66 lin. ft. self-stick;
2-35' coils, 70 lin. ft. dry back per carton



800 Imperial Reducer 1/4"

1 1/4" transition reducer. For glue-down carpet; 1/4"
undercut. Can be trimmed to butt to resilient tile.


Packing: 20-12' secs., 240 lin. ft. per carton



900 Imperial Reducer 3/16"

1 1/16" transition reducer. For glue-down carpet; 3/16"
undercut. Can be trimmed to butt to resilient tile.


Packing: 20-12' secs., 240 lin. ft. per carton



901 Superior Imperial Reducer 3/16"

2 3/16" transition reducer. For glue-down
carpet; 3/16" undercut.

Packing: 1-50' coil, 50 lin. ft. per carton



Mat Edge Moldings

Available in the 36 Accord Colors

420 Mat Edging

Flexible vinyl for protecting edges of floor mats.
3/16" butt edge. 1 5/8" transition.

Packing: 2-50' secs., 100 lin. ft. per carton.

Minimums may apply.




425 Mat Edging

Flexible vinyl for protecting edges of floor mats.
3/8" butt edge. 1 5/8" transition.

Packing: 2-50' secs., 100 lin. ft. per carton.

Minimums may apply.



Joining Moldings – Carpet/Resilient

Available in the 36 Accord Colors

150 Tile-Carpet Joiner

One-piece molding. Joins 1/4" carpet to 1/8" tile.

Packing: 25-12' secs., 300 lin. ft. per carton



152 Carpet to Resilient Transition

Transitions 1/4" or 5/16" glue-down carpet
to 1/16" to 1/8" resilient.

Packing: 20-12' secs., 240 lin. ft. per carton



153 Cerco Bar 3/8"

One-piece molding for joining 5/16" carpet
to 3/8" ceramic materials.


Packing: 10-12' secs., 120 lin. ft. per carton



166 Sheet Vinyl Transition

One piece molding used to join 1/16" thick
tile or sheet flooring material.


Packing: 10-12' secs., 120 lin. ft. per carton



360 Cerco T

Snap-in T molding. Joins 1/2" material. Uses
970, 980, or 990 track only.


Packing: 20-12' secs., 240 lin. ft. per carton



365 Cerco Edge T

Joins 1/2" material to lesser-gauge material.
Uses 970, 980, or 990 track only.

Packing: 20-12' secs., 240 lin. ft. per carton



Finishing Accessories


Thresholds

Available in the 36 Accord Colors

684 Full Saddle

5 1/2" wide door threshold adjoins 1/4". 1/2" to 1/4" taper in height. Multi-Purpose flooring, carpet, or ceramic.


Packing: 6-3' secs., 18 lin. ft. per carton



686 Full Saddle

6" wide door threshold adjoins 1/4" Multi-Purpose flooring or carpet. 3/4" to 1/4" taper in height.


Packing: 4-3' secs., 12 lin. ft. per carton



294 Half Saddle

2 3/4" wide door threshold adjoins 1/2" Multi-Purpose flooring or carpet.


Packing: 12-3' secs., 36 lin. ft. per carton



296 Half Saddle

4.5" wide door threshold adjoins 3/4" Multi-Purpose flooring or carpet.

Packing: 4-3' secs., 12 lin. ft. per carton




Tub Moldings – Coves

Available in the 36 Accord Colors

060 Tub Molding Self-Stick

High Gloss cove for bathtub, counter, and shelves; 1 1/2" height. Colors: 401 White and 403 Almond only.

Packing: 24-5' secs., 120 lin. ft. per carton



605 Tub Molding Self-Stick

High Gloss cove for bathtub, counter, and shelves; 1" height. Colors: 401 White and 403 Almond only.

Packing: 24-5' secs., 120 lin. ft. per carton




Miscellaneous

Available in the 36 Accord Colors

642 Feature Strip 3/32"

Accent strip for custom inlaid floors; 3/32" gauge. 1" x 36" x 3/32".


Packing: 50-3' secs., 150 lin. ft. per carton



643 Feature Strip 1/8"

Accent strip for custom inlaid floors; 1/8" gauge. 1" x 36" x 1/8".


Packing: 50-3' secs., 150 lin. ft. per carton



655 Utility Molding 3/4"

Finish molding for inside any right angle. Colors: 401 White and 403 Almond only.

Packing: 25-5' secs., 125 lin. ft. per carton



645 Quarter Round

1/2" quarter round with adhesive.

Packing: 20-12' secs., 240 lin. ft. per carton



650 Chair Rail

Resilient chair rail

Packing: 5-12' secs., 60 lin. ft. per carton



FUSION® TRANSITION STRIP

Compact Mixed Flooring Reducer


Available in the 36 Accord Colors

720 Fusion® Transition Strip 2.5mm

Compact mixed flooring reducer provides transitions from 2.5 mm to 9.5 mm.

Colors: 720-117 (Platinum) and Accord Colors

Packing: 25 pieces of 12 ft. secs., 300 lin. ft. per carton





721 Fusion® Transition Strip 3.5mm

Compact mixed flooring reducer provides transitions from 3.5 mm to 9.5 mm.

Colors: 720-117 (Platinum) and Accord Colors

Packing: 25 pieces of 12 ft. secs., 300 lin. ft. per carton





Product Index

STYLE NAME	COLLECTION NAME	PAGE
RUBBER SHEET & TILE		
ColorScape®	Color Anchor	6
ColorSpec®	Color Anchor	8
Reset®	Reset	10
Reset® Naturals	Reset Naturals	11
WALL BASE		
See page for style names	Edge Effects®	14
BurkeBase Type TP, TV	Wall base	16
BurkeBase Type TS	Wall base	20
STAIRWAY SYSTEMS		
Abrasive Tape Colors		39
ColorScape® Stair Treads & Risers	Stairway Systems	22
ColorSpec® Stair Treads & Risers	Stairway Systems	24
ConnectStep®	Stairway Systems	26
Linear Series - 250, 210, 150	Stairway Systems	30
Linear Series - Maxxi-Treads	Stairway Systems	32
Linear Series – Visually Impaired Safety Treads	Stairway Systems	33
Perpetual Stair Tread	Stairway Systems	35
Linear Stair Nosings	Stairway Systems	36
MOLDINGS & FINISHINGS		
Finishing Accessories		40

