

# V95 Solvent Free Epoxy Flooring Adhesive Part A

Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 08/19/2020

Date of issue: 10/12/18

Version: 3

## SECTION 1: IDENTIFICATION

### 1.1. Product Identifier

Product Form: Semi solid Paste

Product Name: V95 Solvent Free Epoxy Flooring Adhesive Part A

### 1.2. Intended Use of the Product

Use of the substance/mixture: Part A and Part B when mixed uniformly is used for indoor installation of Mannington Commercial BioSpec, Lifelines II, Mannington Assurance II, Realities, Primus, Nature's Path, Nature's Path Select, and Mannington Assurance LV flooring products.

### 1.3. Name, Address, and Telephone of the Responsible Party

Company: MANNINGTON RESILIENT FLOORS

P.O. Box 30, RTE 45

Salem, NJ 08079

Technical Phone No. (609) 935 - 3000

### 1.4. Emergency Telephone Number

Emergency Number : Within the U.S. 800 535-5053  
Outside the U.S.

## SECTION 2: HAZARDS IDENTIFICATION

Full text of H-phrases: see section 16

### 2.2. Label Elements

#### GHS-US Labeling

Hazard Pictograms (GHS-US) :



Signal Word (GHS-US) :

Danger

Hazard Statements (GHS-US) :

H315- Causes skin irritation

H317- May cause an allergic skin reaction

H350- May cause cancer

Precautionary Statements (GHS-US) :

P201- Obtain special instructions before use

P202- Do not handle until all safety precautions have been read and understood

P261- Avoid breathing dust/fume/gas/mist/vapors/spray

P264- Wash thoroughly after handling

P272- Contaminated work clothing must not be allowed out of the workplace

P280- Wear protective gloves/protective clothing/eye protection/ face protection

P302+P352- If on skin: Wash with plenty of water

P308+P313- If exposed or concerned: Get medical advice/attention

P321- Specific treatment (see...on this label)

P332+P313- If skin irritation occurs: Get medical advice/attention

P362+P364- Take off contaminated clothing and wash it before reuse

P363- Wash contaminated clothing before reuse

### 2.3. Other Hazards

### 2.4. Unknown Acute Toxicity (GHS-US)

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substance

Name	Product Identifier	%	Classification (GHS-US)
Epoxy resin	25068-38-6	45 - 55	

# V95 Solvent Free Epoxy Flooring Adhesive Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Calcium Carbonate	1317-65-3	30 – 40	
Additives	Proprietary	1 - 10	

## 3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Remove material from contact immediately and apply recommended first-aid procedure.

**First-aid Measures After Inhalation:** Remove individual to fresh air. Administer oxygen if necessary. Seek medical attention.

**First-aid Measures After Skin Contact:** Remove from skin and wash with mild soap and water. If irritation persists, seek medical attention.

**First-aid Measures After Eye Contact:** Open eyelids and flush with running water for at least 15-20 minutes. If irritation persists, seek medical attention.

**First-aid Measures After Ingestion:** Seek medical attention immediately. Do not induce.

### 4.2. Most important symptoms and effects, both acute and delayed

**Acute:** May cause headache, skin rash and central nervous system depression.

**Delayed/Chronic:** May cause narcosis, unconsciousness from inhalation. May cause dermatitis from chronic skin contact.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Carbon dioxide, foam, dry chemicals.

### 5.2. Special Hazards Arising From the Substance or Mixture

Do not expose to excessive heat, open flames or sparks. Turn off all pilot lights.

### 5.3. Advice for Firefighters

**Firefighting Instructions:** Water may spread burning liquid. Avoid direct stream of water. Use water spray only to cool containers exposed to flames. Do not enter closed or confined work area without proper protective equipment. Use self-contained breathing apparatus and turn out gear. If leak or spill has not ignited, use water fog to disperse vapors.

**Other Information:** Dispose fire debris and contaminated clothing in accordance with official regulations.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Always wear chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Always wear chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact.

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment:** Always wear chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact.

**Emergency Procedures:** Ventilate the area

### 6.2. Environmental Precautions

**Environment Protection:** Dike and contain the area. Block all natural waterway entries during spill.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

**Methods for Cleaning Up:** Remove material, use adsorbents and remove residue from the area and contain in approved containers for proper disposal.

### 6.4. Reference to Other Sections

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Avoid contact with eyes. Avoid repeated contact with skin. Avoid breathing of vapors, if any.

**Hygiene Measures:** Always wash skin after contact. Wash clothing before re-use.

# V95 Solvent Free Epoxy Flooring Adhesive Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Product is stable

**Storage Conditions:** Store adhesives in a well ventilated area.

**Incompatible Products:** strong bases.

**Storage Temperature:** 65 degrees F – 95 degrees F

## 7.3. Specific End Use(s) Adhesive for the installation of various flooring materials.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

### 8.2. Exposure Controls

**Appropriate Engineering Controls** : Maintain proper ventilation. Keep away from sources of ignition. Avoid skin and eye contact. Use local exhaust. Do not use closed air circulating system. Open doors and windows if necessary.

**Personal Protective Equipment** : Avoid all unnecessary exposure

**Materials for Protective Clothing** : Non porous material

**Hand Protection** : Wear chemical resistant gloves

**Eye Protection** : Chemical goggles or safety glasses

**Skin and Body Protection** : Safety glasses, goggles, or face shield if needed.

**Respiratory Protection** : Not necessary. NIOSH respirator if needed.

**Environmental Exposure Controls** : None needed

**Consumer Exposure Controls** : Maintain proper ventilation, use protective equipment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

**Physical State** : Semi solid paste

**Appearance** : Off white

**Odor** : Mild characteristic smell

**Odor Threshold** : no data available

**pH not determined** : not determined

**Evaporation Rate** : low

**Melting Point** : not applicable

**Freezing Point** : not determined

**Boiling Point** : > 392 degrees C.

**Flash Point** : 200 – 437 degrees F

**Auto-ignition Temperature** : not determined

**Decomposition Temperature** : not known

**Flammability (solid, gas)** : not flammable but will burn in dry state

**Vapor Pressure** : not determined

**Relative Vapor Density at 20 °C** : Not determined

**Relative Density** : 11.66 – 13.33 lbs. per gallon

**Specific Gravity** : 1.4 - 1.6 g/cm<sup>3</sup>

**Solubility** : Insoluble

**Partition Coefficient: N-Octanol/Water** : Data not available

**Viscosity** : 50,000 – 75,000 cps

**Lower Flammable Limit** : Not determined

**Upper Flammable Limit** : Not determined

### 9.2. Other Information

## SECTION 10: STABILITY AND REACTIVITY

10.1. **Reactivity:** stable

10.2. **Chemical Stability:** stable

10.3. **Possibility of Hazardous Reactions:** none

10.4. **Conditions to Avoid:** Strong acids and basis in bulk at elevated temperatures.

10.5. **Incompatible Materials:** strong oxidizing agents

10.6. **Hazardous Decomposition Products:** Oxides of carbon, water and organic compounds of unknown structures.

# V95 Solvent Free Epoxy Flooring Adhesive Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Toxicological Effects

**Acute Toxicity:** (compiled based on the data supplied by supplier)

May cause headache, skin rash, central nervous system depression.

Acute oral effects: > 2000 mg / kg, rat+

Acute dermal toxicity: (LD50): > 2000 mg / kg, rabbit

Sensitization: Moderate sensitizer

Skin: Moderate irritant

Eyes: Slight irritant

Reproduction: No effects when tested on rats

Teratogenicity: No adverse effects when tested on rabbits

Mutagenicity: No mutagenic effects in vivo test. In vitro test showed mutagenic effects.

Sub Chronic: No apparent system effect when tested on rats for 13 weeks except decreased body weight and gain weight.

**Chronic Toxicity Effects:**

Repeated dose toxicity: May cause narcosis, unconsciousness from inhalation. May cause dermatitis from chronic skin contact.

Genetic toxicity: No data available

Carcinogenicity: No data available

Reproductive toxicity: No data available

Teratogenicity: No data available

## SECTION 12: ECOLOGICAL INFORMATION

**12.1. Toxicity:** No data available. Prevent entry into waterways

**12.2. Persistence and Degradability:** Material is organic

Persistence and Degradability	
-------------------------------	--

**12.3. Bioaccumulative Potential**

No data available

**12.4. Mobility in Soil**

Not applicable - Material is viscous liquid material (soft solid)

**12.5. Other Adverse Effects**

not known

Other Information :

## SECTION 13: DISPOSAL CONSIDERATIONS

**13.1. Waste treatment methods**

**Sewage Disposal Recommendations:** Avoid release to the environment

**Waste Disposal Recommendations:** Dispose in a safe manner in accordance to local/ national regulations. Dispose contents to approved DOT containers.

**Additional Information:**

## SECTION 14: TRANSPORT INFORMATION

**14.1. In Accordance with DOT**

**Proper Shipping Name** : Adhesives

**Hazard Class** : Not regulated

**Identification Number** : None

**Label Codes** : None

**Packing Group** :

**ERG Number** :

**14.2. In Accordance with IMDG** (not transported via waterways )

**Proper Shipping Name** : Adhesives

**Hazard Class** :

**Identification Number** :

**Packing Group** :

**Label Codes** :

**EmS-No. (Fire)** :

**EmS-No. (Spillage)** :

# V95 Solvent Free Epoxy Flooring Adhesive Part A

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

**MFAG Number** :  
**14.3. In Accordance with IATA** (not transported via air)  
**Proper Shipping Name** : Adhesives  
**Packing Group** :  
**Identification Number** :  
**Hazard Class** :  
**Label Codes** :  
**ERG Code (IATA)** :

## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

All Components of this product are either listed or exempt in the EPA TSCA list  
EPA SARA Title III Section 313: None  
SARA Title III Section 312 Hazard Class: None  
OSHA Hazard Communication Standard (29 CFR1910.1200) Hazard Class(es): None

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

**Revision Date** : August 2020  
**Other Information** : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:


*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)

# V95 Solvent Free Epoxy Flooring Adhesive Part B

## Safety Data Sheet

According To Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules And Regulations

Revision Date: 08/19/2020

Date of issue: 10/12/18

Version: 3

### SECTION 1: IDENTIFICATION

#### 1.1. Product Identifier

**Product Form:** Semi solid Paste

**Product Name:** V95 Solvent Free Epoxy Flooring Adhesive Part B

#### 1.2. Intended Use of the Product

**Use of the substance/mixture:** Part A and Part B when mixed uniformly is used for indoor installation of Mannington Commercial BioSpec, Lifelines II, Mannington Assurance II, Realities, Primus, Nature's Path, Nature's Path Select, and Mannington Assurance LV flooring products.

#### 1.3. Name, Address, and Telephone of the Responsible Party

**Company:** MANNINGTON RESILIENT FLOORS

P.O. Box 30, RTE 45

Salem, NJ 08079

**Technical Phone No.** (609) 935 - 3000

#### 1.4. Emergency Telephone Number

**Emergency Number** : Within the U.S. 800 535-5053  
Outside the U.S.

### SECTION 2: HAZARDS IDENTIFICATION

Full text of H-phrases: see section 16

#### 2.2. Label Elements

##### GHS-US Labeling

**Hazard Pictograms (GHS-US)** :



**Signal Word (GHS-US)** :

Danger

**Hazard Statements (GHS-US)** :

H315- Causes skin irritation  
H317- May cause an allergic skin reaction  
H318- Causes serious eye damage  
H350- May cause cancer

**Precautionary Statements (GHS-US)** :

P201- Obtain special instructions before use  
P202- Do not handle until all safety precautions have been read and understood  
P260- Do not breathe dust/fume/gas/mist/vapors/spray  
P261- Avoid breathing dust/fume/gas/mist/vapors/spray  
P264- Wash thoroughly after handling  
P272- Contaminated work clothing must not be allowed out of the workplace  
P280- Wear protective gloves/protective clothing/eye protection/ face protection  
P302+P352- If on skin: Wash with plenty of water  
P305+P351+P338- If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P308+P313- If exposed or concerned: Get medical advice/attention.  
P310- Immediately call a poison center/doctor  
P321- Specific treatment  
P332+P313- If skin irritation occurs: Get medical advice/attention  
P362+P364- Take off contaminated clothing and wash it before reuse  
P363- Wash contaminated clothing before reuse

#### 2.3. Other Hazards

#### 2.4. Unknown Acute Toxicity (GHS-US)

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substance

Name	Product Identifier	%	Classification (GHS-US)

# V95 Solvent Free Epoxy Flooring Adhesive Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

--	--	--	--

## 3.2. Mixture

Name	Product Identifier	%	Classification (GHS-US)
Modified Polyamide Mixture	Trade Secret	40 - 50	
Calcium Carbonate	1317-85-3	50 - 60	

Full text of H-phrases: see section 16

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of First Aid Measures

**First-aid Measures General:** Remove material from contact immediately and apply recommended first-aid procedure.

**First-aid Measures After Inhalation:** Remove individual to fresh air. Administer oxygen if necessary. Seek medical attention.

**First-aid Measures After Skin Contact:** Remove from skin and wash with mild soap and water. If irritation persists, seek medical attention.

**First-aid Measures After Eye Contact:** Open eyelids and flush with running water for at least 15-20 minutes. If irritation persists, seek medical attention.

**First-aid Measures After Ingestion:** Seek medical attention immediately. Do not induce vomiting. This might cause chemical pneumonitis.

### 4.2. Most important symptoms and effects, both acute and delayed

**Acute:** May cause headache, skin rash, and central nervous system depression.

**Delayed/Chronic Symptoms:** May cause narcosis, unconsciousness from inhalation. May cause dermatitis from chronic skin contact.

### 4.3. Indication of Any Immediate Medical Attention and Special Treatment Needed

## SECTION 5: FIRE-FIGHTING MEASURES

### 5.1. Extinguishing Media

**Suitable Extinguishing Media:** Carbon dioxide, foam, dry chemicals, water spray.

### 5.2. Special Hazards Arising From the Substance or Mixture

**Fire Hazard:** Do not expose to excessive heat, open flames or sparks. Turn off all pilot lights.

### 5.3. Advice for Firefighters

**Firefighting Instructions:** Water may spray burning liquid. Avoid direct stream of water. Use water spray only to cool containers exposed to flames. Do not enter closed or confined work area without proper protective equipment.

**Protection During Firefighting:** For fires in enclosed areas, wear self-contained breathing apparatus. Do not inhale combustion gases.

**Other Information:** If leak or spill has not ignited, use water fog to disperse vapors.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal Precautions, Protective Equipment and Emergency Procedures

**General Measures:** Always wear appropriate respirators, chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact. Fire and slippage hazard. Eliminate sources of ignition including electrical switches and motors, pilot lights, etc. Evacuate area and report incident immediately. Keep parts A and B separated.

#### 6.1.1. For Non-emergency Personnel

**Protective Equipment:** Always wear chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact.

**Emergency Procedures:** Evacuate unnecessary personnel.

#### 6.1.2. For Emergency Responders

**Protective Equipment** Always wear appropriate respirators, chemical resistant gloves, safety glasses, apron and boots if necessary to prevent contact.

**Emergency Procedures:** Ventilate the area

### 6.2. Environmental Precautions

**Environmental Procedure:** Dike and contain the area. Block all natural waterway entries during spill.

### 6.3. Methods and Material for Containment and Cleaning Up

**For Containment:** Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

**Methods for Cleaning Up:** Remove material, use adsorbents and remove residue from the area and contain in approved containers for proper disposal.

### 6.4. Reference to Other Sections

# V95 Solvent Free Epoxy Flooring Adhesive Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for Safe Handling

**Additional Hazards When Processed:** Avoid contact with eyes. Avoid repeated contact with skin. Avoid breathing of vapors, if any.

**Hygiene Measures:** Always wash skin after contact. Wash clothing before re-use.

### 7.2. Conditions for Safe Storage, Including Any Incompatibilities

**Technical Measures:** Product is stable.

**Storage Conditions:** Store adhesives in a well ventilated area. Do not store near acids. Do not store in reactive metal containers.

**Incompatible Products:** strong acids.

**Storage Temperature:** 65 degrees F – 95 degrees F

### 7.3. Specific End Use(s) Adhesive for the installation of various flooring materials.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control Parameters

### 8.2. Exposure Controls

**Appropriate Engineering Controls** : Maintain proper ventilation. Keep away from sources of ignition. Avoid skin and eye contact. Use local exhaust. Do not use closed air circulating system. Open doors and windows if necessary.

**Personal Protective Equipment** : Avoid all unnecessary exposure

**Materials for Protective Clothing** : Non porous material

**Hand Protection** : Wear chemical resistant gloves

**Eye Protection** : Chemical goggles or safety glasses

**Skin and Body Protection** : Use clothing to prevent skin and body contact

**Respiratory Protection** : NIOSH respirator if needed

**Environmental Exposure Controls** : None needed

**Consumer Exposure Controls** : Maintain proper ventilation, use protective equipment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on Basic Physical and Chemical Properties

<b>Physical State</b>	: Semi solid paste
<b>Appearance</b>	: Yellow to amber
<b>Odor</b>	: Amine, irritating
<b>Odor Threshold</b>	: no data available
<b>pH not determined</b>	: not determined
<b>Evaporation Rate</b>	: low
<b>Melting Point</b>	: not applicable
<b>Freezing Point</b>	: not determined
<b>Boiling Point</b>	: > 400 degrees F.
<b>Flash Point</b>	: 383 degrees F
<b>Auto-ignition Temperature</b>	: not determined
<b>Decomposition Temperature</b>	: not known
<b>Flammability (solid, gas)</b>	: will burn
<b>Vapor Pressure</b>	: Not determined
<b>Relative Vapor Density at 20 °C</b>	: Not determined
<b>Relative Density</b>	: 10.75 lbs. per gallon
<b>Specific Gravity</b>	: 1.28 g/cm <sup>3</sup>
<b>Solubility</b>	: Not soluble
<b>Partition Coefficient: N-Octanol/Water</b>	: Data not available
<b>Viscosity</b>	: 125,000 – 175,000 cps
<b>Lower Flammable Limit</b>	: Not determined
<b>Upper Flammable Limit</b>	: Not determined

### 9.2. Other Information

## SECTION 10: STABILITY AND REACTIVITY

10.1. **Reactivity:** stable

10.2. **Chemical Stability:** stable under normal conditions

10.3. **Possibility of Hazardous Reactions:** none

# V95 Solvent Free Epoxy Flooring Adhesive Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

- 10.4. **Conditions to Avoid:** Strong acids and bases in bulk at elevated temperatures.
- 10.5. **Incompatible Materials:** strong oxidizing agents
- 10.6. **Hazardous Decomposition Products:** Oxides of carbon, water and organic compounds of unknown structures.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information On Toxicological Effects

**Primary routes of exposure:** Respiratory, eyes, skin. Ingestion is not likely but might cause gastric disturbances.

**Acute Toxicity:** (compiled based on the data supplied by supplier) Actual product was not tested.

May cause headache, skin rash, central nervous system depression.

Acute oral effects: > 2000 mg / kg, rat

Acute dermal toxicity: Components

Phenol (LD50): 630 mg / kg, rabbit

Triethylenetetramine (LD50): 550 mg / kg, rabbit

Inhalation: LC50 (1hr): > 20 mg/l, rat

Sensitization: May cause sensitization upon skin contact. Sensitization has occurred in laboratory animals after repeated exposures.

Skin: irritant

Eyes: irritant

**Chronic Toxicity Effects:** Actual product was not tested.

Repeated dose toxicity: Absorption of phenol solution through skin could damage liver, kidney, spleen and pancreas and edema of the lungs.

Genetic toxicity: Showed mutagenic activity on repeated short term tests.

Carcinogenicity: No data available

Reproductive toxicity: No data available

Teratogenicity: No data available

Mutagenicity: Showed mutagenic activity of repeated short term tests.

## SECTION 12: ECOLOGICAL INFORMATION

12.1. **Toxicity:** No data available. Prevent entry into waterways

12.2. **Persistence and Degradability:** Material is organic

Persistence and Degradability	
-------------------------------	--

12.3. **Bioaccumulative Potential**

No data available

12.4. **Mobility in Soil**

Not applicable - Material is viscous liquid material (soft solid)

12.5. **Other Adverse Effects**

not known

Other Information :

## SECTION 13: DISPOSAL CONSIDERATIONS

13.1. **Waste treatment methods**

**Sewage Disposal Recommendations:** Avoid release to the environment

**Waste Disposal Recommendations:** Dispose in a safe manner in accordance to local/ national regulations. Dispose contents to approved DOT containers.

**Additional Information:**

## SECTION 14: TRANSPORT INFORMATION

14.1. **In Accordance with DOT**

**Proper Shipping Name** : Adhesives

**Hazard Class** : Not regulated

**Identification Number** : None

**Label Codes** : None

**Packing Group** : None

**ERG Number** : None

# V95 Solvent Free Epoxy Flooring Adhesive Part B

Safety Data Sheet

According to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

## 14.2. In Accordance with IMDG (not transported via waterways )

Proper Shipping Name : Adhesives  
Hazard Class :  
Identification Number :  
Packing Group :  
Label Codes :  
EmS-No. (Fire) :  
EmS-No. (Spillage) :  
MFAG Number :

## 14.3. In Accordance with IATA (not transported via air)

Proper Shipping Name : Adhesives  
Packing Group :  
Identification Number :  
Hazard Class :  
Label Codes :  
ERG Code (IATA) :

## SECTION 15: REGULATORY INFORMATION

### 15.1 US Federal Regulations

All Components of this product are either listed or exempt in the EPA TSCA list  
EPA SARA Title III Section 313: None  
SARA Title III Section 312 Hazard Class: Acute Health Hazard  
OSHA Hazard Communication Standard (29 CFR1910.1200) Hazard Class(es): None

## SECTION 16: OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Revision Date : August 2020  
Other Information : This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

### GHS Full Text Phrases:


*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*

SDS US (GHS HazCom)